



**Sardar Vallabhbhai Patel**  
International Airport Ahmedabad

Ref No: AIAL/ESG/MOEFCC/293

Date: 29-11-2025

To

**The Dy. Director General**  
**Ministry of Environment, Forest and Climate Change**  
**Integrated Regional Office - Gandhi Nagar**  
**A Wing-407 8- 409, Aranya Bhavan, Near CH3 Circle**  
**Setor-10A, Gandhi Nagar -382010**

**Subject:** Half yearly Compliance reports for Environment Clearance issued to 'Sardar Vallabhbhai Patel International Airport', Ahmedabad – April 25 to Sep 25

**References:** 1. Environment clearance granted for "Construction of New International Terminal Building and a new Domestic Arrival Block" at Sardar Vallabhbhai Patel International Airport, Ahmedabad vide MoEF letter dated 31<sup>st</sup> Jul 2006 bearing letter No. F. No. 10-06/2006-IA-III

2. EC Transferred from Airport Authority of India (AAI) to Adani Ahmedabad International Airport Limited (AAIAL) vide MoEF8-CC order dated 17<sup>th</sup> Jun 2021 and further amended vide letter dated 26<sup>th</sup> Nov 2021

3. EC Name Change from Adani Ahmedabad International Airport Limited (AAIAL) to Ahmedabad International Airport Limited (AIAL), vide order dated 16<sup>th</sup> Feb 2022

Dear Sir,

Sardar Vallabhbhai Patel International (SVPI) Airport, Ahmedabad was granted Environmental Clearance (EC) vide letter no. 10-6/2006-IA-II1. dated 31<sup>st</sup> July 2006 for "Construction of New International Terminal Building and a New Domestic Arrival Block", Ahmedabad, Gujarat.

This EC has been transferred to Adani Ahmedabad International Airport Limited (AAIAL) vide MoEF orders dated 17<sup>th</sup> June 2021 and further amended vide order dtd. 26<sup>th</sup> Nov 2021.

Later, owing to the name change of airport operator from 'Adani Ahmedabad International Airport Ltd' to 'Ahmedabad International Airport Ltd', the name change is solicited by MoEF in the said Environmental Clearance vide MoEF order dated 16<sup>th</sup> Feb 2022.

**Ahmedabad International Airport Limited**

Terminal 1 Building, 1<sup>st</sup> Floor,  
Sardar Vallabhbhai Patel International Airport  
Ahmedabad: 382 475, Gujarat, India.

svpia-ahmedabad.adaniairports.com

CIN: U63030GJ2019PLC110076



**Sardar Vallabhbhai Patel**  
International Airport Ahmedabad

With reference to the above-mentioned sequences of events, Ahmedabad International Airport Limited hereby submits the condition-wise compliance report to the mentioned Environmental Clearance for the period of April 2025 to Sep 2025 through soft copy (e-mail communication) as well as on Parivesh 2.0 portal update.

Request for your kind consideration and acknowledgement.

Yours Sincerely

**For Ahmedabad International Airport Limited**

**Ashwin Noronha**  
(Chief Airport Officer)

**Email Copy to:**

1. The Director (IA Division), Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jar Bagh Road, New Delhi-110003
2. Zonal Officer, Regional Office, CPCB - Western Region, Parivesh Bhawan, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara - 390 023
3. Member Secretary, GPCB, Paryavaran Bhavan, Sector 10 A, Gandhi Nagar - 382 010
4. Regional Officer (Ahmedabad) - Gujarat Pollution Control Board Old Building, Sector 10- A, Gandhinagar – 302 010
5. The Chief Conservator of Forests, MoEF Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No.3, Ravishankar Nagar, Bhopal -462 016

**Ahmedabad International Airport Limited**

Terminal 1 Building, 1<sup>st</sup> Floor,  
Sardar Vallabhbhai Patel International Airport  
Ahmedabad: 382 475, Gujarat, India.

[svpia-ahmedabad.adaniairports.com](mailto:svpia-ahmedabad.adaniairports.com)

CIN: U63030GJ2019PLC110076

Registered office: Adani Corporate House, Shantigram, Near Vaishno Devi Circle, S. G. Highway, Khodiyar, Ahmedabad 382 421, Gujarat, India.

**Half Yearly Compliance Report**

**Sardar Vallabhbhai Patel International Airport  
Ahmedabad**

**By:**

**adani**

**Ahmedabad International Airport Ltd**

**Compliance Period:  
April 2025 to Sep 2025**

**Status of the conditions stipulated in Environment Clearance**

Sardar Vallabhbhai Patel International (SVPI) Airport, Ahmedabad was granted Environmental Clearance (EC) vide letter no. 10-6/2006-IA-III, dated 31<sup>st</sup> July 2006 for "Construction of New International Terminal Building and a New Domestic Arrival Block", Ahmedabad, Gujarat.

Ahmedabad International Airport Limited (AIAL) formerly known as Adani Ahmedabad International Airport Ltd, a wholly owned subsidiary of Adani Enterprises Limited, signed Concession Agreement with Airports Authority of India (AAI) on 14<sup>th</sup> February 2020, for operation, maintenance, management and development of SVPI Airport, Ahmedabad.

AIAL has been entrusted with the responsibility to operate and manage the existing airport assets and responsible for designing, engineering, financing, construction, upgradation and development of Airside & landside infrastructure for the airport and its subsequent operation and management for a 50 year concession period.

The said EC has been transferred to Adani Ahmedabad International Airport Limited (AAIAL) vide MoEF orders dated 17<sup>th</sup> June 2021 and further amended vide order dtd. 26<sup>th</sup> Nov 2021.

Later, owing to the name change of airport operator from 'Adani Ahmedabad International Airport Ltd' to 'Ahmedabad International Airport Ltd', the name change is solicited by MoEF in the said Environmental Clearance vide MoEF order dated 16<sup>th</sup> Feb 2022.

As a part of the above-mentioned Environment clearance following facilities are developed and are under operation:

- New International Terminal Building
- New Domestic Arrival Block along with the associated facilities.

Apart from the above following facilities were considered prior to this Environment Clearance:

- New Terminal Building – Domestic (Arrival & Departure)
- New Terminal Building- International (Arrival & Departure)
- New Domestic Departure Building
- Apron, Hangar
- Runway & Taxiway

The present compliance report is submitted by AIAL for the compliance period of **April 2025 to Sep 2025**.

**adani**

**Ahmedabad International Airport Limited (AIAL)**

**April 2025 to  
Sep 2025**

**Status of the conditions stipulated in Environment Clearance**

**File No. 10-6/2006-IA-III**  
Government of India/Bharat Sarkar  
Ministry of Environment, Forest and Climate Change  
(IA.III Section)

Indira Paryavaran Bhawan  
Jor Bagh Road, New Delhi-110003  
16<sup>th</sup> February, 2022

To,

The Chief Airport Officer  
(Shri Badrinarayan Gandhi)  
M/s Ahmedabad International Airport Limited  
Adani Corporate House  
Shantigram, Near Vaishno Devi circle  
S.G. Highway, Khodiyar  
Ahmedabad 382421  
Gujarat, India.

Subject: Environment Clearance for Construction of New International Terminal Building at Sardar Vallabhai Patel International Airport, Ahmedabad-**Name Change in EC**- regarding.

Sir,

This has reference to your online application/proposal No. IA/GJ/MIS/254450/2022 through Parivesh Portal regarding name change in EC granted to the above mentioned project from M/s Adani Ahmedabad International Airport Limited to M/s Ahmedabad International Airport Limited.

2. The Ministry had earlier issued EC dated 31.07.2006 to the project for Construction of New International Terminal Building at Sardar Vallabhai Patel International Airport, Ahmedabad by Airport Authority of India. Later, the EC has been transferred from M/s Airport Authority of India to M/s Adani Ahmedabad International Airport Limited vide letter No. 10-6/2006-IA-III dated 17.06.2021.

3. Since the project proponent name has been changed from M/s Adani Ahmedabad International Airport Limited to M/s Ahmedabad International Airport Limited has submitted a copy of undertaking/NOC as signed by the authorized signatory to abide by the terms and conditions stipulated in the EC granted vide letter No. 10-6/2006-IA-III dated 31.07.2006 & 17.06.2021 issued by the Ministry of Environment, Forest and climate Change to the M/s Airport Authority of India.

4. As per the relevant provisions of the EIA Notification 2006, the project proponent name, "M/s Adani Ahmedabad International Airport Limited" in EC already granted by Ministry of Environment, Forest and Climate Change vide letter No. 10-6/2006-IA-III dated 17.06.2021 is hereby changed to "M/s Ahmedabad International Airport



**adani**

**Ahmedabad International Airport Limited (AIAL)**

**April 2025 to  
Sep 2025**

**Status of the conditions stipulated in Environment Clearance**

Limited", on the same terms and conditions specified in EC granted vide Letter No. 10-6/2006-1A-III dated 31.07.2006 & 17.06.2021.

5. This issues with the approval of Competent Authority.



**(Dr. Dharmendra Kumar Gupta)**  
**Director (S)**

Copy to:

1. The Principal Secretary, Department of Environment, Government of Gujarat, Block No. 14, 8<sup>th</sup> Floor, Sachvalaya, Gandhinagar-382010.
2. The Deputy Director General of Forests (C), Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Gandhi Nagar A wing- 407 & 409, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhi Nagar-382010.
3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. The Member Secretary, Gujarat State Pollution Control Board, Paryavaran Bhawan, Sector 10-A, Gandhinagar-382010.
5. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
6. Guard File/ Record File/ Notice Board/MoEF&CC website.



**(Dr. Dharmendra Kumar Gupta)**  
**Director (S)**

**adani**

**Ahmedabad International Airport Limited (AIAL)**

**April 2025 to  
Sep 2025**

**Status of the conditions stipulated in Environment Clearance**

**F. No. 10-06/2006-IA.III**

Government of India  
Ministry of Environment, Forest and Climate Change  
(IA.III Section)

Indira Paryavaran Bhawan,  
Jor Bagh Road, New Delhi - 3

**26<sup>th</sup> November, 2021**

**CORRIGENDUM**

Subject: Transfer of Environmental Clearance to Adani Ahmedabad International Airport Ltd., (AIAL)-Request for corrections - reg.

Ref: Letter No. AMD/HSE/004/21-22 dated 26<sup>th</sup> July, 2021.

In partial modification of this Ministry's earlier letter of even number dated 17.06.2021, the following formulations have been modified:

- i. Date of Concession agreement may be read as 14.02.2020 instead of 04.02.2020.
  - ii. Date of Environmental Clearance may be read as 31.07.2006 instead of 31.10.2006.
2. All other terms and conditions stipulated in the EC granted vide F. No. 10-06/2006-IA.III dated 31.07.2006 and subsequent letter regarding transfer of EC dated 17.06.2021 shall remain unchanged.

  
(Dr. Dharmendra Kumar Gupta)  
Director (S)

To,  
Chief Airport Officer,  
Adani Ahmedabad International Airport Ltd.,  
Adani Corporate House,  
Shantigram, Near Vaishno Devi Circle,  
SG Highway, Khodiyar, Ahmedabad- 382421

**adani**

Ahmedabad International Airport Limited (AIAL)

April 2025 to  
Sep 2025

Status of the conditions stipulated in Environment Clearance

**F. No. No. 10-6/2006-IA.III**

Government of India

Ministry of Environment, Forest and Climate Change  
(IA.III Section)

Indira Paryavaran Bhawan,  
Jor Bagh Road, New Delhi – 110003

**June 17<sup>th</sup>, 2021**

To,

**Chief Airport Officer**

M/s Adani Ahmedabad International Airport Limited  
Adani Corporate House  
Shantigram, Near Vaishno Devi Circle  
SG Highways, Khodiyar  
Ahmedabad - 382421  
Email: info@adani.com

Subject: Construction of new International Terminal Building at Sardar Vallabhbhai Patel International Airport, Ahmedabad by Airport Authority of India - Transfer of Environmental Clearance(EC)-reg.

Sir,

This has reference to your online application/proposal No. IA/GJ/MIS/202532/2021 dated 09.04.2021 through Parivesh Portal regarding transfer of EC to the above mentioned project from M/s Airport Authority of India (AAI) to M/s Adani Ahmedabad International Airport Limited (AAIAL), Ahmedabad.

2. The Ministry had earlier issued EC to the project for Construction of new International Terminal Building at Sardar Vallabhbhai Patel International Airport, Ahmedabad by Airport Authority of India at Ahmedabad, Gujarat.

3. M/s Adani Ahmedabad International Airport Limited has informed that the concession agreement has signed on 04.02.2020 for Operation, maintenance, management & development of Sardar Vallabhbhai Patel International Airport, Ahmedabad between M/s AAI and M/s Adani Ahmedabad International Airport Limited. As per the agreement, with effect from the commercial operation i.e. 07.11.2020. AAIAL is responsible to comply to all the applicable conditions, as stipulated under the issued EC for Construction of new International Terminal Building at Sardar Vallabhbhai Patel International Airport, Ahmedabad issued by the Ministry vide even number dated 31.07.2006.

4. M/s Adani Ahmedabad International Airport Limited has submitted a copy of undertaking/NOC as signed by the authorized signatory to abide by the terms and conditions stipulated in the EC granted vide letter No.10-6/2006-IA.III dated 31.07.2006 issued by the Ministry of Environment, Forest and Climate Change to the M/s Airport authority of India (AAI).



**adani**

Ahmedabad International Airport Limited (AIAL)

April 2025 to  
Sep 2025

**Status of the conditions stipulated in Environment Clearance**

5. As per the relevant provisions of the EIA Notification 2006, the EC to the project for Construction of new International Terminal Building at Sardar Vallabh Patel International Airport, Ahmedabad granted by the Ministry of Environment, Forest and Climate Change vide letter No. 10-6/2006-IA.III dated 31.10.2006 is hereby transferred from M/s Airport Authority of India (AAI) to M/s Adani Ahmedabad International Airport Limited (AAIAL), on the same terms and conditions.

6. This issues with the approval of the competent authority.



(Dr. Dharmendra Kumar Gupta)  
Director (S)

Copy to:

1. The Principal Secretary, Department of Environment, Government of Gujarat, Block No.14, 8<sup>th</sup> Floor, Sachvalaya, Gandhinagar-382010
2. The Addl. Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Integrated Regional Office (WZ), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravishankarnagar, Bhopal-462016
3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. The Member Secretary, Gujarat State Pollution Control Board, Paryavaran Bhawan, Sector 10-A, Gandhinagar-382010
5. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
6. Guard File/ Record File/ Notice Board
7. MoEF&CC website.



(Dr. Dharmendra Kumar Gupta)  
Director (S)

## Status of the conditions stipulated in Environment Clearance

9 AUG 2006

No.10-6/2006-LA-III  
Government of India  
Ministry of Environment & Forests  
(LA-III Section)



Paryavaran Bhavan  
C.G.O. Complex, Lodhi Road,  
New Delhi-110003

Dated the 31<sup>st</sup> July, 2006

Subj: Construction of New International Terminal Building at Sardar Vallabhai Patel International Airport, Ahmedabad by Airport Authority of India - Environmental clearance - regarding.

Reference is invited to the letters No AAI/SAI/ALIM/W-26/ENCG(Cy/298, dated 1.6.2006 and No.AAI/AHMEDABAD/W-70/ENCG (L/291), dated 3.7.2006 from Airports Authority of India on the subject mentioned above. No Objection Certificate has been obtained from Gujarat State Pollution Control Board vide their letter No PC/AD/NOC/AMC/637/4102, dated 10.2.2006. Public hearing has been held for the project on 7.2.2006.

The project involves construction of a (i) a new International building to handle 500 arriving and 2000 departing passengers, and (ii) a new Domestic Arrival Block to handle 800 passengers at Ahmedabad Sardar Vallabhai Patel International Airport (SVPI), Ahmedabad. Site is located at latitude 23°04'14" N and Longitude 72°37'17" E. The proposed area under construction is only an up-gradation of the existing airport within the area of Airport Authority of India. The covered area would be 25,801 sq m (ground floor - 18,895 sq m, 1<sup>st</sup> floor - 5813 sq m, 2<sup>nd</sup> floor - 112 sq m). Cost of the project is Rs.150 crs. Water requirement for the construction of domestic arrival block at Airport will be met from bore wells located within the premises of airport. At present total water requirement consumption in Ahmedabad International Airport is 6.33,100 litres/day, which includes 4,32,000 litres/day for fire fighting. The water requirement at the proposed new international terminal building is estimated to be 913865 litres/day, which includes 452000 litres/day for fire fighting. Power requirement will be met with from regular supply of Electricity Board. DG sets will be used only in case of power failure.

3. The proposal has been examined and the environmental clearance to this project is hereby accorded under Environmental Impact Assessment Notification, 1994 subject to effective implementation of the following conditions and environmental safeguards.

## A. Specific conditions:

- (i) All conditions stipulated by the Gujarat State Pollution Control Board vide their letter No PC/AD/NOC/AMC/637/4102, dated 10.2.2006 should be strictly implemented.
- (ii) The project proponent should set up a separate Sewage Treatment Plant to treat the sewage of 84,33m<sup>3</sup>/day generated from the existing and proposed airport terminal before discharge into the Municipal Sewerage. Consent from Ahmedabad Municipal Corporation should be obtained for discharging the treated effluent in the existing public sewerage system.
- (iii) The project proponent should provide a copy of the approval letter from the local Municipal Authorities for supplying the drinking water. The usage water and municipal water may be furnished to this Ministry within three months from the date of receipt of this letter.
- (iv) The project proponent should ensure that all engineering design and constructions should be done keeping in view the seismic zone-4 nature of the area.
- (v) Noise control and mitigation measures must be incorporated to ensure that noise pollution is avoided in the immediate vicinity of airport. The monitoring of noise level in and around the airport must be regularly conducted and data furnished to the Authorities including State Pollution Control Board.
- (vi) A detailed plan should be worked out for proper disposal of solid waste generated in the airport, in consultation with the local Municipal Authority and the State Pollution Control Board.

**Status of the conditions stipulated in Environment Clearance**

**2.1 General Conditions:**

- (i) Construction and proposed works should be undertaken only conforming to the existing environmental norms. All the construction designs/drawings relating to the proposed construction activities must have approval from the concerned Government/Departmental agencies.
- (ii) Adequate provision should be made for drinking water supply for the cooking, sanitation etc. in order to prevent water borne diseases. The garbage should be disposed to the environment. It should not be used for any other purpose such as fuel for fire wood etc.
- (iii) The project proponent should provide other facilities such as the water bodies, adequate system for drainage and retention of rain water etc. as per the plan.
- (iv) The project proponent should provide adequate health, safety, accident and welfare measures for the labourers engaged in the project. Inclusive of drinking water, canteen, a separate fund should be provided for this.
- (v) The employment of the labourers should be strictly regulated. A fund only from the approved tender/bidder should be provided for the labourers to ensure that the overburden and excess of demands are not put on the labourers.
- (vi) The project proponent should provide food and shelter for the project preference shall be given to the local people.
- (vii) The project proponent should submit Environmental Management Plan and Disaster Management Plan, as contained in the Environmental Impact Assessment and Risk Analysis Report of the project shall be strictly followed.
- (viii) The project proponent should employ local staff with suitable technical staff to carry out various environmental management activities. The charge of a senior Executive who will report directly to the Chief Executive Officer (CEO).
- (ix) The project proponent should provide proper disposal area and rehabilitated.
- (x) The fund for environmental protection should be maintained in a separate account and there should be a separate bank account for the same purpose. A year-wise expenditure on environmental protection should be submitted to the Ministry.
- (xi) Full support should be provided to the officers of the Ministry's Regional Office at Bhopal and the officers of the Central and the Pollution Control Boards by the project proponents during their inspection of routine and public enquiries including the details and action plans including the action taken reports in respect of negative findings and other environmental protection activities.
- (xii) In case of deviation or violation of the project including the implementing agency, a fresh reference should be made to the Ministry for re-issuance on the clearance conditions or imposition of new ones for ensuring environmental protection. The project proponents should be responsible for implementing the suggested remedial measures.
- (xiii) The Ministry reserves the right to revoke this clearance, if any of the conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.
- (xiv) The Ministry reserves the right to insert quarterly may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.
- (xv) The project proponent should advertise at least in two best newspapers widely circulated in the region around the project and the cost shall be in the vernacular language of the locality concerned and also that the project has been listed on the website of the Ministry and copies of clearance letters are available with the Ministry. The project details also be listed at Website of the Ministry of Environment and Forests, Government of India. The advertisement should be made within 7 days

**adani**

**Ahmedabad International Airport Limited (AIAL)**

**April 2025 to  
Sep 2025**

**Status of the conditions stipulated in Environment Clearance**

from the date of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office of this Ministry at Bhopal.

(vii) The Project proponent should inform the Regional Office at Bhopal as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of start of Land Development Work.

4. The above-mentioned stipulations will be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Chemicals (Manufacture, Storage and Import) Rules, 1989.


  
**(A. Senthil Vel)**  
Additional Director

To

**Airports Authority of India,  
Rajiv Gandhi Bhawan,  
Salahjan - GPO, C,  
New Delhi - 110005**

Copy to:

- (i) The Secretary, Ministry of Road Transport & Highways, Transport Bhavan, 1, Parliament Street, New Delhi - 110001.
- (ii) The Chairman, Gujarat Pradesh State Pollution Control Board, Paryavaran Bhavan, Sector 10-A, Gandhinagar - 382010.
- (iii) The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi - 110055.
- (iv) Shri J. E. Vyis, Director (Environment), Forests & Environment Department, Government of Gujarat, Block No. 14, 3<sup>rd</sup> Floor, Sachivalaya, Gandhinagar - 382010.
- (v) Chief Conservator of Forests, Ministry of Environment and Forests, Regional Office, Western Region, "Kendriya Paryavaran Bhavan", Link Road No.3, Vasichankar Nagar, Bhopal -462016 (M.P.).
- (vi) Director (II), Ministry of Environment & Forests, New Delhi.
- (vii) The Regional Office Cell, MOEF.
- (viii) Guard File
- (ix) Monitoring File

  
**(A. Senthil Vel)**  
Additional Director

## Status of the conditions stipulated in Environment Clearance

The Condition-wise Compliance Status is given below:

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
<b>A. Specific Conditions</b>		
i.	All conditions stipulated by the Gujarat State Pollution Control Board vide their letter No. PC/AD/NOC/AMC-637/4102, dated 10.2.2006 should be strictly implemented.	<p><b>Complied</b></p> <p>Consent to Establish was obtained by AAI for Construction of New International Terminal Building and a New Domestic Arrival vide consent order dtd 10<sup>th</sup> Feb 2006.</p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p> <p>The consent letters of GPCB with amendment and renewal is attached as <b>annexure Ai</b></p>

Status of the conditions stipulated in Environment Clearance

ii.

The project should set up a separate Sewage Treatment Plant to treat the sewage of 84.33 KLD generated from the existing and proposed airport terminal before discharge into the Municipal Sewerage. Consent from Ahmedabad Municipal Corporation should be obtained for discharging the treated effluent in the existing public sewerage system.

**Complied**

A new integrated Sewage Treatment Plant (STP) with a total capacity of 1,400 KLD has been installed at the airport. This includes the commissioning of a new 700 KLD STP utilizing advanced Membrane Bioreactor (MBR) technology, along with the upgradation of the existing 500 KLD STP to a 700 KLD MBR-based system. The adoption of MBR technology offers several significant environmental benefits:

- **Superior Effluent Quality:** MBR systems produce high-quality treated water with very low levels of suspended solids, BOD, COD, and pathogens. This enables safe reuse of treated wastewater for gardening, cooling, and toilet flushing, reducing the demand for fresh water and supporting water conservation initiatives.
- **Enhanced Water Recycling:** The high-quality effluent from MBR allows for 100% recycling of treated water for non-potable uses, contributing to the airport's sustainability goals and reducing the environmental impact of wastewater discharge.
- **Reduced Sludge Generation:** MBR technology operates at higher mixed liquor suspended solids (MLSS) concentrations, resulting in lower sludge production and minimizing the burden of sludge disposal.
- **Lower Chemical and Energy Consumption:** Modern MBR systems are designed for efficient operation, often requiring less chemical dosing and energy for membrane cleaning and plant maintenance compared to traditional systems.
- **Support for Zero Liquid Discharge (ZLD):** By enabling near-complete recycling and reuse of wastewater, MBR technology supports the airport's vision of achieving zero liquid discharge outside the premises.

These features not only ensure compliance with regulatory standards but also align with the airport's broader environmental and sustainability commitments, such as water positivity, zero waste to landfill, and carbon neutrality.



Status of the conditions stipulated in Environment Clearance

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025											
		period of April 2025 to Sep 2025 is attached as <b>Annexure -A(ii)</b> .											
		<table border="1"> <thead> <tr> <th data-bbox="695 600 930 712" rowspan="2">Parameter</th> <th data-bbox="930 600 1050 712" rowspan="2">Unit</th> <th colspan="2" data-bbox="1050 600 1289 633">Results</th> <th data-bbox="1289 600 1487 712" rowspan="2">Limits as per G.S.R. 1265(E)</th> </tr> <tr> <th data-bbox="1050 633 1169 712">Max</th> <th data-bbox="1169 633 1289 712">Min</th> </tr> </thead> </table>	Parameter	Unit	Results		Limits as per G.S.R. 1265(E)	Max	Min				
Parameter	Unit	Results			Limits as per G.S.R. 1265(E)								
		Max	Min										
		pH	--	7.90	7.50	6.5 - 9.0							
		Total Suspended Solids	mg/L	17	14	< 20.0							
		Biological Oxygen Demand at 27°C, 3 days	mg/L	7.14	<4.00	< 10							
		COD (chemical oxygen demand)	mg/L	28.00	12.24	<50							
		Fecal Coliform	MPN/100 ml	120	17	<230							
iii.	The project proponent should provide a copy of the approval letter from the local Municipal Authorities for supplying the drinking water. The usage water and municipal water may be furnished to this Ministry within three months from the date of receipt of this letter.	<p><b>Complied</b></p> <p>SVPIA had applied for increase in water withdrawal from Ahmedabad Municipal Corporation for supplying of water 1000 KLD vide dated 05.04.2024. we have obtained the permission form AMC, The copy of last bill is given in <b>Annexure-A.1 (iii)</b>.. additionally, obtained the ground water NOC from CGWA is attached as <b>Annexure A.2(iii)</b>.</p>											

**Status of the conditions stipulated in Environment Clearance**

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
iv.	<p>The project should ensure that all engineering design and constructions should be done keeping in view the seismic zone 4 nature of the area.</p>	<p><b>Complied</b></p> <p>With reference to the mentioned EC copy numbered 10-6/2006-IA-III dated 31 July 2006 of Ministry of Environment &amp; Forests, the project has already been completed, and airport is under operational phase.</p> <p>AIAL has taken over the airport operations from AAI (Nov 2020) and carried out repair &amp; maintenance activities of the Terminal Buildings, airside infrastructure and storm water drains.</p> <p>However, in the new masterplan design, all the applicable rules and regulations have been considered.</p>

**Status of the conditions stipulated in Environment Clearance**

v.

Noise control and mitigation measures must be incorporated to ensure that noise pollution is avoided in the immediate vicinity of airport. The monitoring of noise level in and around the airport must be regularly conducted and data furnished to the Authorities including State Pollution Control Board.

**Complied**

Following Noise control and mitigation measures are adopted at the site:

- Standard instrument arrival & departure procedure is implemented to minimize the noise levels of aircrafts
- Pilots are advised to carry out Continuous Descant approach
- Control on the vehicular noise level by maintaining speed & vehicle conditions
- DG sets are provided with acoustic enclosures & muffs

Regular Noise Monitoring at 04 locations along with Continuous 7 days Flight Path Noise Monitoring at 03 locations is being carried out by MoEF&CC/ NABL approved laboratory.

AIAL has conducted a comprehensive noise zoning and mapping study in accordance with DGCA CAR requirements, which has received DGCA approval. The L max details are as under


Airport	City / Village	L <sub>Amax</sub> dB	Coordinates	
			Latitude	Longitude
Ahmedabad	Ghanshyam Nagar	119.4	23°03'45.27" N	72°37'07.95" E
	Ambica Nagar	111.9	23°05'46.71" N	72°39'17.62" E

CNMT (Continuous Noise Monitoring Terminal) installed

Prescribed mitigation measures associated with the noise zone approval are being effectively implemented.

In addition, continuous online noise monitoring station has been installed at 2 locations (outside the airport premises and at the end of both ends of the runway).

Status of the conditions stipulated in Environment Clearance

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
		 <p><u>Photo of Continuous Noise Monitoring at Runway End</u></p> <p>Detailed Noise Monitoring report summery, covering AMBIENT NOISE LEVEL MONITORING RESULTS for the compliance period of <b>April 2025 to Sep 2025</b> is attached as <b>Annexure A (v)</b>.</p> <p>Results at all locations have been observed within the permissible norms.</p> <p>Data is submitted to State Pollution Control Board, along with other regulatory authorities, as a part of Half yearly compliance reports.</p>

**Status of the conditions stipulated in Environment Clearance**

vi.

A detailed plan should be worked out for proper disposal of solid waste generated in the airport, in consultation with the local Municipal Authority and the State Pollution Control Board.

**Complied**

As part of AIAL operations, an effective Solid Waste Management plan has been implemented at the site.

Waste is collected and segregated at the source, with separate bins provided for dry and wet waste across all locations including Airside, Landside, and Terminals.

Well-demarkated waste collection points have been established, from where segregated waste is transferred to a dedicated waste yard located at the back end of the airport.

SVPIA is a Zero Waste to Landfill certified airport by CII dated 26.05.2025, valid up to 21.02.2028. All properly segregated waste is handed over to the local authority-recognized agency, M/s. Sharda Enterprises, for further processing in line with the 5R principles — Reduce, Reuse, Reprocess, Recycle, and Recover — ensuring no waste is sent to landfill. Copy of ZWL Certificate given as **Annexure A (VI)**

AMC registered vendor M/s. Sharda Enterprises is implementing Solid waste management at site. Details of solid waste generated during the compliance period of **April 2025 to Sep 2025** is given below.

Other Metal waste directly disposed by AIAL to recycler also included in recyclable waste data as below.

Month	Recyclable Waste	Food Waste (Composter)
	(kg)	(kg)
April-25	19708	11140
May-25	20410	11595
June-25	19228	11400
July 25	21360	10755
Aug 25	20540	11325
Sep 25	19228	11400

Entire recyclable waste is segregated & recycled. Food waste is being composted in organic waste Composter machine in the premises.

The waste management practices is explained in **Annexure – A2(vi)**

**Status of the conditions stipulated in Environment Clearance**

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
<b>B. General Conditions</b>		
i.	Construction of the proposed structure should be undertaken meticulously conforming to the existing Central/ local rules. All the construction designs/ drawings relating to the proposed construction activities must have approvals of the concerned State Government Departments/ Agencies.	<p><b>Condition is not applicable</b></p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p>
ii.	Adequate provisions for infrastructure facilities such as water supply, fuel for cooking, sanitation, must be provided for the labourers during the construction period to avoid damage to the environment. It should also be ensured that the construction workers do not cut trees for fuel wood purpose.	<p><b>Condition is not applicable</b></p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p>
iii.	To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided.	<p><b>Complied</b></p> <p>1400KLD STP is provided for sewage generated from operations. Treated wastewater is being used for gardening.</p> <p>Refer point no. ii above and annexure for the same.</p>

**Status of the conditions stipulated in Environment Clearance**

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
iv.	The project authorities should take appropriate community development and welfare measures for the villagers in the vicinity of the project site, including drinking water facilities. A separate fund should be allocated for this purpose.	<p><b>Point Noted Complied</b></p> <p>activities are being implemented through the Adani Foundation, focusing on key areas such as Education, Health, Sustainable Livelihood, and Community Infrastructure.</p> <p>Details of the CSR activities undertaken and future plan are provided in <b>Annexure B(iv)</b></p>
v.	The quarrying material required for the construction purpose shall be obtained only from the approval quarries /borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies.	<p><b>Condition is not applicable</b></p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p>
vi.	For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given local people.	<p><b>Complied</b></p> <p>The airport operation requires high level of expertise to ensure safe flight operations, highly skilled &amp; technical personnel are being recruited inline to the requirements.</p> <p>For supportive services, like project activities, Housekeeping, Administration, STP operation, Horticulture, Utility operation etc, local people (semiskilled) are preferred.</p> <p>More than 90 percentage working staff are locals.</p>

Status of the conditions stipulated in Environment Clearance

<p>vii.</p>	<p>The recommendations made in the Environment Management Plan and Disaster Management Plan as contained in the Environmental Impact Assessment and Risk Analysis Reports of the project shall be effectively implemented.</p>	<p><b>Complied</b></p> <p><u>Energy Saving and other sustainability Measures</u></p> <p>in Sep 2023 some of the energy and water saving initiatives have been taken, and we are getting benefits of the same during monitoring period of April 2025 to September 2025.</p> <p>Energy Saving and other sustainability Measures are as below:</p> <ul style="list-style-type: none"> <li>• 135 water aerators installed at washroom area which resulted and expected saving of 1200-1500 KL water per month, which has potential for pumping and water saving.</li> <li>• At terminal 1 and 2, all paper towels were phased out and only hand dryers are used. This is a sustainability initiative and paper &amp; plastic saving initiative. <b>Approximately, ~810 trees are saved yearly</b> from being axed owing to replacement of Paper Towels. Reduction of plastic bags used for collection and disposal by <b>2.5 tons</b> annually. This also resulted in potential Cost saving of <b>~INR 66 Lakh y-o-y</b> related to paper towels purchases.</li> <li>• Installed <b>1400 KW</b> capacity solar panels to utilize renewable energy and to reduce the GHG emissions.</li> <li>• The conventional lights have been replaced with LED lights in all the possible locations which has reduced the total energy consumption.</li> <li>• We continue with the temperature of the Chillers is increased from 7°C to 11-12°C as part of maintenance &amp; controlling the temperature inside the Terminal.</li> <li>• Re-Engineering: The number of chillers at airport premises are reduced by combining the chiller lines of Arrival &amp; Departure areas as part of energy conservation.</li> <li>• Temperature Controllers are installed for AHU operations.</li> </ul>
-------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Status of the conditions stipulated in Environment Clearance

- VFD drive installed at STP blower and broken diffuser replaced, so that air and energy losses can be avoided.
- Air-condition in server rooms' is localized in place of centralized system to reduce energy consumption.
- Proactively controlled lighting systems are provided. The landside streetlights are made operational on timer basis according to the daylights.
- Sensitization of the team & continuous follow up is done for further improvising the Airport environmental & sustainability aspects.
- Timely maintenance of AHU's filters & coil, chillers, cooling towers is being carried out at AIAL. Regular monitoring is being carried out for the same.
- Four Electrical vehicles (e-vehicles- Follow me vehicle at air side) and Two EV Charging Stations at airside are introduced. **Total 62% of our vehicle are now Evs**
- Various plastic waste reduction drive performed. Exp. SUP free airport drive and assessment stopped using 200 ML PET bottle at airport lounge with replacement of water dispenser with 300 ML reusable glass. We have stopped using PET bottles in any meeting or conference with replacement of glass refillable bottles. Various awareness sessions organised with concessioner partners and with waste handlers for waste reductions incitive.

Solid Waste

AIAL is identifying and implementing sustainable waste management techniques which focuses on 5R (Reduce, Reprocess, Reuse, Recycle and Recover) principles.

Regular cleaning of roads by Mechanized Sweeping Machines.

**Status of the conditions stipulated in Environment Clearance**

**Zero waste to landfill** certification audit conducted with demonstrating compliance on waste management practices toward zero waste to landfill certification process and final result is platinum category rating with more than **99% waste diversion for five R principle** of waste management and avoiding waste disposal to landfill disposal.

Wastewater Treatment and Recycling

- Sewage Treatment Plant (STP) (technology : MBR - Membrane bio reactor) is provided for treating the entire sewage generated.
- New 700 KLD MBR based STP constructed and by 30 March 2025, the commissioning of the STP completed.
- Now as phase 2 STP upgradation program, AIAL's existing 500 KLD MBBR based STP has been modernized with 700 KLD MBR based STP. So AIAL'S integrated STP capacity will be 1400 KLD.
- The treated wastewater from the STP is utilized for gardening and horticulture activity within premises to conserve the freshwater consumption. 100 % water is being reuse/utilised within premises.


Carbon Emissions Inventory & Carbon Neutrality

- Airport carbon emission inventory has been carried out and targets are set for achieving Carbon Neutrality of airport operations by 2025 and operational net zero by 2029
- We have defined systems for developing annual emission inventory (greenhouse gas emissions) in line with ISO 14064 and ACA Level 4+ requirement, which is the highest-level of accreditation.
- Based on our baseline emissions and future projections, we have developed a detailed

Status of the conditions stipulated in Environment Clearance

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
		<p>roadmap for achieving carbon neutrality and net zero status in accordance with ACA guidelines.</p> <ul style="list-style-type: none"> <li>• Replacement of R22 refrigerant based AC units with better R32 refrigerant based BEE 5 Star Rated AC's</li> <li>• Transition to 100% use of Green Electricity by 2026</li> <li>• We have <b>replaced all 273 CO2 fire extinguishers with clean agent type of fire extinguishers</b> as move towards scope 1 emission reduction. All phased out CO2 extinguishers are under disposal program.</li> <li>• achieved 62% EV vehicle at the SVPI airport as fleet decarbonisation plan.</li> <li>• In the month of Dec 2024, we have carried out assessment as per water positive status study from TERI. <b>Draft report of water positive status received and under review and implementation phase.</b></li> <li>• AIAL has announces a significant environmental milestone: the successful certification as a <b>Zero Waste to Landfill (ZWL) Platinum—Class I Rated airport by the Confederation of Indian Industry (CII)</b>.</li> <li>• The certification validates SVPIA's outstanding waste diversion practices, with a diversion rate exceeding 99.9%. This achievement results from AIAL's comprehensive implementation of the 5R principles—Reduce, Reuse, Reprocess, Recycle, and Recover</li> <li>• AIAL has carried out water assessment study in consultation with reputed institute TERI. Mitigation measures &amp; adaptation plan will be implemented for attaining water positive status.</li> </ul>

Status of the conditions stipulated in Environment Clearance

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
viii.	<p>A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will respond directly to the Chief Executive of the Company.</p>	<p><b>Complied</b></p> <p>Site is having Head Environment to take care of Environment related functions. He reports to Chief Airport Officer who directly reports to the top management.</p>  <p>Site Environment Head is MSC Environment science and having more than 20 years of experience in the field of environment respectively. Please see the <b>annexure B(viii) for EMP cell.</b></p>
ix.	<p>The project affected people, if any should be properly compensated and rehabilitated.</p>	<p><b>Condition is Not Applicable</b></p>
X	<p>The funds earmarked for environment protection measures should maintained in a separate account &amp; there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry.</p>	<p><b>Complied</b></p> <p>Separate budget of or the Environment protection measures is earmarked for FY 2025-26. Entire budget and all the expense details are recorded in advanced accounting system of the organization and as such separate bank account is not maintained. Dedicated budget for ESG department and same has been utilized of the same planned ESG activities. Detailed expense sheet attached as <b>Annexure B (x)</b></p>

## Status of the conditions stipulated in Environment Clearance

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
xi.	Full support should be extended to the officers of this Ministry's Regional Office at Bhopal and the officers of the Central and State Pollution Control Boards by the project proponents during their inspection of monitoring purposes, by furnishing full details and action plans including the actions, taken reports in respect of mitigative measures and other environmental protection activities.	<p><b>Complied</b></p> <p>Full support is extended to the regulatory authorities during their visit to the project site. All necessary documents are submitted as per the request of the visiting authorities.</p> <p>IRO MOEF&amp;CC, visited at site on 27 May 2022 and given us certified compliance report on 22 June 2022 and there is no non-compliance reported in this certified compliance report. Copy of CCR is given in compliance report is attached as <b>Annexure A(xi)</b></p>

**Status of the conditions stipulated in Environment Clearance**

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
xii.	<p>In case of deviation or alteration in the project including the implementing agency, a fresh reference should be made to this Ministry for modification on the clearance conditions or imposition of new ones, for ensuring environmental protection. The project proponents should be responsible for implementing the suggested safeguard measures.</p>	<p><b>Complied</b></p> <p>31<sup>st</sup> July 2006 - Environment Clearance (EC), obtained for Sardar Vallabhbhai Patel International Airport (SVPIA) by Airport Authority of India (AAI).</p> <p>14<sup>th</sup> Feb 2020 - Ahmedabad International Airport Ltd (AIAL) has entered into the Concession Agreement with AAI.</p> <p>7<sup>th</sup> Nov 2020 – AIAL commenced operation of SVPIA In compliance with this concession agreement, [Commercial Operation Date (COD)].</p> <p>17<sup>th</sup> June 2021 - Environment Clearance (EC), which was granted vide dtd. 31<sup>st</sup> July 2006 was transferred from AAI to AIAL.</p> <p>12<sup>th</sup> October 2022 – ToR to Consent to Establish (CTE) vide order no. 58203 for Master Plan Development has been obtained by AIAL.</p> <p>11<sup>th</sup> November 2022 - Environment Clearance (EC) for Master Plan development of Sardar Vallabhbhai Patel International Airport (SVPIA) was obtained by AIAL.</p> <p>27.09.2023 - CCA amendment order released as AWH 129314 dated validity up to 20.10.2025.</p> <p>24.01.2025 – Name change obtained from Adani Ahmedabad International Airport Limited to M/s. Ahmedabad International Airport Limited approval.</p> <p>25.06.2025 - The renewal and amendment in consolidated consent and authorization for raw water consumption, wastewater generation, new STP capacity and technology upgradation, and hazardous waste category regularization, and now CCA is valid up to 15.05.2030</p>

## Status of the conditions stipulated in Environment Clearance

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025
xiii.	The Ministry reserves the right to revoke this clearance, if any of the conditions subsequently. It deemed necessary, for environmental protection, which shall be complied with.	<b>Point Noted &amp; Agreed</b>
xiv.	The Ministry or any other competent authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.	<b>Point Noted &amp; Agreed</b>

**Status of the conditions stipulated in Environment Clearance**

Sr. No.	Conditions	Compliance Status as of 1 <sup>st</sup> Oct 2025																		
xv.	<p>The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned, informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Committee and may also be seen at Website of Ministry of Environment &amp; Forests at <a href="http://www.envfornic.in">http://www.envfornic.in</a>. The advertisement should be made within the 10 days from the date of the clearance letter and a copy of the same should be forwarded to the regional office of this to the Ministry of Bhopal.</p>	<p><b>Complied</b>                      Details of previous compliance reports submitted is given below:</p> <table border="1" data-bbox="703 813 1453 1037"> <thead> <tr> <th>Sr. No.</th> <th>Compliance period</th> <th>Date of submittal</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Oct 2024 to March 2025</td> <td>31 May 2025</td> </tr> <tr> <td>2</td> <td>April 2024 to Sep 2024</td> <td>1<sup>st</sup> Dec 2024</td> </tr> <tr> <td>3</td> <td>Oct 2023 to March 2024</td> <td>30 June 2024</td> </tr> <tr> <td>4</td> <td>Apr 2023 to Sept 2023</td> <td>30<sup>th</sup> Nov 2023</td> </tr> <tr> <td>5</td> <td>Oct 2022 to Mar 2023</td> <td>20<sup>th</sup> May 2023</td> </tr> </tbody> </table> <p>Last EC compliance report Submittal is attached as <b>Annexure-B(xv)</b></p>	Sr. No.	Compliance period	Date of submittal	1	Oct 2024 to March 2025	31 May 2025	2	April 2024 to Sep 2024	1 <sup>st</sup> Dec 2024	3	Oct 2023 to March 2024	30 June 2024	4	Apr 2023 to Sept 2023	30 <sup>th</sup> Nov 2023	5	Oct 2022 to Mar 2023	20 <sup>th</sup> May 2023
Sr. No.	Compliance period	Date of submittal																		
1	Oct 2024 to March 2025	31 May 2025																		
2	April 2024 to Sep 2024	1 <sup>st</sup> Dec 2024																		
3	Oct 2023 to March 2024	30 June 2024																		
4	Apr 2023 to Sept 2023	30 <sup>th</sup> Nov 2023																		
5	Oct 2022 to Mar 2023	20 <sup>th</sup> May 2023																		
xvi.	<p>The Project proponents should inform the Regional Office at Bhopal as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of start of Land Development Work.</p>	<p><b>Complied</b>                      Construction activity has already been completed and presently the project is under operation Phase.                      Concession agreement has been signed between Airports Authority of India (AAI) and Ahmedabad International Airport Limited (AIAL) on 14<sup>th</sup> Feb 2020. As per the above said Concession Agreement, AIAL has commenced the operation with effect from the Commercial Operation Date (COD) i.e. 7<sup>th</sup> Nov 2020</p>																		



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A,  
GANDHINAGAR - 382010,  
(T) 079-23232152

## BY RPAD

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution) Act-1981 and Authorization under rule 6(b) of the Hazardous & other wastes (Management and Transboundary Movement) Rules'2016, framed under the EP Act-1986.

And whereas Board has received on line consolidated consents & Authorization (CC&A) Renewal cum amendment application inward No: 332733 dated 16/05/2025 for the consolidated consent and authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts Consent & Authorization is hereby granted as under.

### **CONSENT AND AUTHORISATION:**

(Under the provisions / rules of the afore said environmental acts)

To,  
M/s. Adani Ahmedabad International Airport Ltd,  
(Old Name: M/s. Airport Authority of India),  
Sardar Patel International Airport,  
Ahmedabad – 388 009.

1. Consent Order No: AWH-145126 Date of Issue: 25/06/2025.
2. The Consolidated Consent and Authorization (CC&A) of this Board under the provisions/rules of the aforesaid Acts. Consents & Authorization consents shall be valid up to 15/05/2030 for the operation of an international terminal building at SVPI Airport.

Sr. No	Services (storage)	Facility
1.	Jet Fuel (4 Tanks)	8000 KL (Cap.2000 KL each)

### SPECIFIC CONDITION:

1. Unit shall comply with ministry of Environment & Forests order no. 10-6/2006-IA-III Dated: 31.07.2006.
2. Unit shall comply with state level Environment Impact Assessment Authority, Gujarat order no. SEIA/GUJ/EC/7(a)/2694/2022 Dated: 11/11/2022.
3. Unit shall comply with the order of the Hon'ble High Court in the matter of writ petition no.PIL 98/2021 and PIL 110/2021.
4. unit shall obtain PESO permission.
5. Industry shall renew Petroleum and Explosives Safety Organization permission time to time and submit a copy of the same to this office.
6. Industry shall submit compliance of Manufacturing, Storage and Import of Hazardous Chemicals Rules – 1989 framed under the Environment (Protection) Act-1989 including site notification, onsite emergency plan & safety Audit report within a month.
7. No ground water shall be withdrawal without prior permission from CGWA as per Hon'ble NGT order.

Clean Gujarat Green Gujarat

Website : <https://gpcb.gujarat.gov.in>

8. Industry shall obtain fresh water from valid source have permission of the competent authority.
9. Industry shall renew Public Liability Insurance Policy time to time & submit a copy of the same to this office.
10. Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)).

**3.0 CONDITIONS UNDER THE WATER ACT:**

- 3.1 Source of water: AMC + Bore well.
- 3.2 The quantity of industrial water consumption shall not exceed 810 KLD.
- 3.3 The quantity of domestic water consumption shall not exceed 1430 KLD. (Fresh: 1350 KLD, Reuse: 80 KLD).
- 3.4 The quantity of domestic effluent shall not exceed 1110 KLD.
- 3.5 Generated domestic waste water shall be treated in to adequate sewage treatment plant and after treatment treated sewage shall be reused from gardening, plantation, toilet, flushing and colling purpose confirming to following standards.

Parameter	Standards
pH	5.5-9.0
BOD	10 mg/l
COD	50 mg/l
Total Nitrogen	10 mg/l
Total phosphorous	1 mg/l
Fecal Coliform (FC) (MPN/100 ml)	Desirable-100 Permissible--230

- 3.6 There shall be no industrial waste water generation from manufacturing process.
- 3.7 Flow meter shall be provided at the outlet line of the STP.

**4.0 CONDITIONS UNDER THE AIR ACT:**

- 4.1 The following shall be used as a fuel.

Sr. No.	Fuel	Quantity
1.	Diesel	2.4 KL/Hr.

- 4.2 The flue gas emission through stack attached to D.G.Set shall conform to the following standards:

Stack No.	Stack attached to	Stack height	APCM	Parameter	Permissible Limit
1.	D.G.Set (4 nos.) (1500 KVA)	32 m	Acoustic enclosure	Particulate matter SO <sub>2</sub> NO <sub>x</sub>	150 mg/Nm <sup>3</sup>  100 ppm 50 ppm
2.	D.G.Set (stand by) (6 Nos.) (500 KVA)	13. m	Acoustic enclosure		
3.	D.G.Set (stand by) (2 Nos.) (320 KVA)	13 m	Acoustic enclosure		
4.	D.G.Set (stand by) (2 Nos.) (250 KVA)	13 m	Acoustic enclosure		
5.	D.G.Set (stand by) (1 Nos.) (750 KVA)	13 m	Acoustic enclosure		
6.	D.G.Set (stand by) (4 Nos.) (1500 KVA)	12.5 m	Acoustic enclosure		
7.	D.G.Set (stand by) (1 Nos.) (9100 KVA)	10 m	Acoustic enclosure		
8.	D.G.Set (stand by) (1 Nos.) (1250 KVA)	12 m	Acoustic enclosure		
9.	D.G.Set (stand by) (1 Nos.) (82.5 KVA)	03 m	Acoustic enclosure		
10.	D.G.Set (stand by) (2 Nos.) (2500 KVA)	03 m	Acoustic enclosure		

②



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A,  
GANDHINAGAR - 382010,  
(T) 079-23232152

- 4.3 There shall be no Process emission from manufacturing process & other ancillary operation.
- 4.4 Stack monitoring facilities like port hole, platform/ladder etc., shall be provided with stacks/vents chimney in order to facilitate sampling of gases being emitted into the atmosphere.
- 4.5 concentration of the following parameters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder as per National Ambient Air Quality Standards issued by MoEF & CC dated 18th November-2009. In addition to following parameters Industry shall also carry out AAQ monitoring of all other applicable parameter as per MOEF notification dated 18/11/2009 and submit the report to the Board.

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient air
1.	Sulphur Dioxide (SO <sub>2</sub> ), µg/ m <sup>3</sup>	Annual 24 Hours	50 80
2.	Nitrogen Dioxide (NO <sub>2</sub> ), µg/ m <sup>3</sup>	Annual 24 Hours	40 80
3.	Particulate Matter (Size less than 10 µm) OR PM10 µg/ m <sup>3</sup>	Annual 24 Hours	60 100
4.	Particulate Matter (Size less than 2.5 µm) OR PM 2.5 µg/m <sup>3</sup>	Annual 24 Hours	40 60

4.6 **D.G. Sets Conditions:**

The D.G. Set shall have acoustic enclosure and shall comply with the standards specified at Sr. no. 95 of Schedule-I of the rule-3 of E.P. Rules -1986 and Noise pollution level as per the Air Act-1981.

**D.G. Sets standards:**

The flue gas emission through stack attached to D.G. Sets shall conform to the following standards.

- The minimum height of stack to be provided with each of the generator set shall be  $H=h + 0.2 (KVA)^{1/2}$ , where H= Total stack height in meter, h= height of the building in meters where or by the side of which the generator set is installed.
- Noise from DG set shall be controlled by providing an acoustic enclosure or by treating the room acoustically, at the users end.
- The acoustic enclosure or acoustic treatment of the room shall be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on the higher side (if the actual ambient noise is on the higher side, it may not be possible to check the performance of the acoustic enclosure/ acoustic treatment. Such circumstances the performance may be checked for noise reduction up to actual ambient noise level, preferably, in the night time). The measurement for insertion loss may be done at different points at 0.5 m from the acoustic enclosure/room, and the averaged.

Clean Gujarat Green Gujarat

Website : <https://gpcb.gujarat.gov.in>

- d) The D.G. Set shall be provided with proper exhaust muffler with insertion loss of minimum 25 dB (A).
- e) All efforts shall be made to bring down the noise level due to the D.G. Set, outside the premises, within the ambient noise requirements by proper siting and control measures.
- f) Installation of a D.G. Sets must be strictly in compliance with the recommendations of the D.G. Set manufacturer.
- g) A proper routine and preventive maintenance procedure for the D.G. Set should be set and followed in consultation with the DG Set manufacture which would help prevent noise levels of the DG Set from deteriorating with use.
- 4.7 The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 4.8 The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted /displayed to facilitate identification.
- 5.0 **Authorization under Rules 6(2) of Hazardous and other Wastes [Management & Transboundary Movement] Rules – 2016. [Form -2]**  
Form for grant of authorization for occupier or operator handling Hazardous waste.
- 5.1 **Number of authorization: AWH-145126 Date of Issue: 25/06/2025.**
- 5.2 **M/s. Adani Ahmedabad International Airport Ltd (Old Name: M/s. Airport Authority of India), is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, treatment, storage, transport of hazardous waste on the premises situated Sardar Patel International Airport, Ahmedabad – 388 009.**

Sr. No	Hazardous Waste	Quantity	Schedule Category	Method of Disposal
1.	Used Oil	7 KL/yr	I – 5.1	Collection, Storage, Transportation & disposed by selling to Registered recycler
2.	Sludge & Filters contaminated with oil	100 kg/yr	I-33.2	Collection, Storage, Transportation & disposal by selling to registered recycler
3.	Waste residue containing oil/oily rags	510 kg/yr	I-37.3	Collection, Storage, Transportation & disposal by co processing/ CHWIF site.
4.	Discarded Drums	100 Nos. (2 MT/yr)	I-33.1	Collection, Storage, Transportation & disposal by selling to authorized decontamination facility.

- 5.3 The authorization shall be valid upto **15/05/2030**.
- 5.4 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 5.5 The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no.5.2 to the industry having valid CCA of this Board.



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A,  
GANDHINAGAR - 382010,  
(T) 079-23232152

## 5.6 TERMS AND CONDITIONS OF AUTHORISATION

1. The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
3. The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a breach of this authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Wastes and Penalty"
7. It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
8. An application for the renewal of an authorization shall be made as laid down in rules 6(2) under Hazardous and Other Waste Rules, 2016.
9. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
10. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
11. The hazardous and other wastes which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
12. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) the wastes generated.
15. Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form-4 by 30th day of June of every year for the preceding period April to March.
16. In case of any accident, details of the same shall be submitted on Form-11 to Gujarat Pollution Control Board.
17. As per "Public Liability Insurance Act-91" company shall get Insurance Policy, if applicable.

Clean Gujarat Green Gujarat

Website : <https://gpcb.gujarat.gov.in>

18. Empty drums and containers of toxic and hazard material shall be treated as per guideline published for "Management & Handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.
19. In case of transport of hazardous wastes to a facility for (i.e. treatment, storage and disposal) existing in a State other than the State where hazardous wastes are generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board or Committee of the concerned State of Union Territory Administration where the facility exists.
20. Unit shall take all concrete measures to show tangible results in waste generation, reduction, avoidance, reuse and recycle. Actions taken in this regard shall be submitted within three months and also along with Form-4.
21. Industry shall have to display the relevant information with regards to hazardous waste as indicated in the Hon. Supreme Court's Order in W.P. No.657 of 1995 dated 14th October, 2003.
22. Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous wastes generated within the factory premises.

#### **6.0 SPECIFIC CONDITIONS:-**

- 6.1 The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.
- 6.2 Handling over of the hazardous and other wastes to the authorized actual user shall be only after making the entry in the passbook of the actual user.
- 6.3 In case of renewal of authorization, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorization for hazardous and other wastes shall be submitted to SPCB.
- 6.4 The occupier of the facility shall comply Standard operating procedure/guidelines published by MOEF&CC or CPCB or GPCB from time to time.
- 6.5 Unit shall comply provisions of E-Waste Management Rules-2016.
- 6.6 The disposal of Hazardous Waste shall be carried out as per the waste Management hierarchy.
- 6.7 The occupiers of facilities shall not store the hazardous and other wastes for a period not exceeding ninety days. Prior permission of the Board shall be obtained for extension of the storage period.
- 6.8 The occupier shall maintain the records of generation, sale, storage, transport, recycling, co processing and disposal of hazardous waste and make available during the inspection.
- 6.9 The transportation of the hazardous waste shall be carried out in GPS mounted dedicated vehicles.

#### **7 GENERAL CONDITIONS: -**

- 7.0 Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 7.1 Applicant shall also comply with the general conditions given in annexure I.
- 7.2 Whenever due to accident or other unforeseen act or ever, such emissions occur or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, concerned Police Station, Office of Directorate of Health Service, Department of Explosives, Inspectorate of Factories and local body.



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A,  
GANDHINAGAR - 382010,  
(T) 079-23232152

- 7.3 In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions/measures shall be implemented immediately to bring entire situation normal.
- 7.4 The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These cells/units also coordinate the exercise of environmental audit and preparation of environmental statements.
- 7.5 The Environmental audit shall be carried out yearly and the environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.
- 7.6 The Board reserves the right to review and/or revoke the consent and/or make variations in the conditions, which the Board deems, fit in accordance with Section 27 of the Act.
- 7.7 In case of change of ownership/management the name and address of the new owners/ partners/directors/proprietor should immediately be intimated to the Board.
- 7.8 Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon. Supreme order in w.p. no. 657 of 1995 dated 14th October 2003.

For and on behalf of  
GUJARAT POLLUTION CONTROL BOARD

  
(T.C.Patel)  
Unit Head

No. GPCB/ABD/AMC/CCA-519(6)/ID:10150/

Date:

**ISSUED TO:**

M/s. Adani Ahmedabad International Airport Ltd,  
(Old Name: M/s. Airport Authority of India),  
Sardar Patel International Airport,  
Ahmedabad – 388009.

Clean Gujarat Green Gujarat

Website : <https://gpcb.gujarat.gov.in>

	<b>Half Yearly Environmental Monitoring Report for Ahmedabad International Airport Limited.,</b>
	<b>April 2025-Sep 2025</b>

### Annexure A(ii) STP analysis report summary

A new integrated Sewage Treatment Plant (STP) with a total capacity of 1,400 KLD has been installed at the airport. This includes the commissioning of a new 700 KLD STP utilizing advanced Membrane Bioreactor (MBR) technology, along with the upgradation of the existing 500 KLD STP to a 700 KLD MBR-based system. The adoption of MBR technology offers several significant environmental benefits:

- **Superior Effluent Quality:** MBR systems produce high-quality treated water with very low levels of suspended solids, BOD, COD, and pathogens. This enables safe reuse of treated wastewater for gardening, cooling, and toilet flushing, reducing the demand for fresh water and supporting water conservation initiatives.
- **Enhanced Water Recycling:** The high-quality effluent from MBR allows for 100% recycling of treated water for non-potable uses, contributing to the airport's sustainability goals and reducing the environmental impact of wastewater discharge.
- **Reduced Sludge Generation:** MBR technology operates at higher mixed liquor suspended solids (MLSS) concentrations, resulting in lower sludge production and minimizing the burden of sludge disposal.
- **Lower Chemical and Energy Consumption:** Modern MBR systems are designed for efficient operation, often requiring less chemical dosing and energy for membrane cleaning and plant maintenance compared to traditional systems.
- **Support for Zero Liquid Discharge (ZLD):** By enabling near-complete recycling and reuse of wastewater, MBR technology supports the airport's vision of achieving zero liquid discharge outside the premises.

These features not only ensure compliance with regulatory standards but also align with the airport's broader environmental and sustainability commitments, such as water positivity, zero waste to landfill, and carbon neutrality.

Treated wastewater reuse in gardening, cooling, and 84,33 KLD is discharged to AMC drainage system as per CCA dated 01/12/2020. This treated sewage quantity discharge is considered only during monsoon season.

Treated wastewater reused in gardening, cooling, and toilet flushing



**Rotary Drum Screens**

The sewage from equalization tank shall be pumped to mechanical rotary drum screens for removal of floating material of size more than 1 mm. Equalization tank transfer pumps will be provided to transfer the sewage from equalization tank to the rotary screen. The rotary drum screens will be designed to handle normal flow of 35 m<sup>3</sup>/hr.

**Anoxic Tanks & Aeration Tanks**

The sewage from rotary drum screens shall be conveyed to biological treatment system. The design shall consist of biological trains/streams, each with anoxic tank, aerobic tank and a membrane tank. Each train shall be designed for 100% of the design flow i.e 35 m<sup>3</sup>/hr (700 m<sup>3</sup>/day).

Nitrate formed in the aerobic and membrane zones, is recycled back to the anoxic zone, where it is denitrified. Anoxic tank will consist of a submersible mixer for mixing the sewage with recycle sludge from membrane tanks. Having the anoxic zone as a first zone allows for maximum influent BOD utilization for denitrification. The sewage shall overflow from the anoxic tanks to aeration tanks. Fine bubble diffusers shall be provided at the bottom of each aeration tank to supply oxygen for biological decomposition of organic matter and to keep the mixed liquor suspended solids (MLSS) in suspension. Two (1 duty + 1 standby) air blowers shall be provided to supply oxygen to aeration tanks. Dissolved oxygen will be monitored in each aerobic tank.

**Membrane Tank**

The mixed liquor from aeration tanks shall be collected in membrane tanks consisting of submerged membrane modules. Clean water shall be withdrawn from the mixed liquor through the membranes using permeate pumps (2 duty + 1 standby) and shall be transferred to a treated water tank through ultraviolet disinfection system. Permeate / back pulse pumps shall be taken from the treated water tank for back pulsing and cleaning the membranes. The sludge from the membrane tank shall be recycled to anoxic tanks using two (1 Duty + 1 Standby) sludge transfer pumps. Waste sludge shall be transferred to a sludge holding tank.

**Irrigation Water Tank**

The clean water from the membrane tank shall be collected in the irrigation water tank. The treated water tank shall be provided. The treated water shall be transferred to the softener to remove hardness. Treated water will be stored in a soft water tank.

**Sludge Handling Units**

The sludge from the membrane tank shall be stored in a sludge holding tank. The

sludge shall be transferred to volute screw compactor for further dewatering using polyelectrolyte. The dewatered sludge from volute will be collected in bins and shall be disposed off. The supernatant from volute will be routed to the inlet chamber of STP.

**Disinfection Units**

Biologically treated sewage from the MBR tanks shall be pumped to two (1 Duty + 1 Standby) ultraviolet systems (A-30082A/B) consisting of UV lamps for destruction of pathogens. Sodium hypochlorite solution shall be dosed in the treated water tank to maintain residual chlorine of 0.1 mg/l as per MoE standards for water reuse.

**Chemical Dosing System**

- Sodium hypochlorite and Citric acid solutions should be used for cleaning of membrane to avoid fouling. One dosing tank and one dosing pump will be provided for each chemical.
- Sodium hypochlorite shall also be used for disinfection of treated sewage which shall be used for irrigation purposes. One dosing tank and one dosing pump will be provided for this purpose.
- Polyelectrolyte solutions shall be dosed into the sludge feed line leading to the volute to enhance de-watering of sludge. One dosing tanks and one dosing pumps will be provided for dosing of polyelectrolyte solution.

The Average inlet & outlet flow data & chemical consumption data of STP for the compliance period of **April 2025 to Sep 2025** is given below:

<b>Avg. Inlet Flow</b>	<b>Outlet Flow</b>	<b>Chemical Consumption (Sodium hypo-chloride) (Liter per month)</b>
<b>(KLD)</b>	<b>(KLD)</b>	
390	385	100

**Note:** Inlet flow includes the Backwash flow data

Environment Monitoring is carried out regularly by MoEF&CC/ NABL approved laboratory. All the results are observed to be within permissible limits. The summary of STP treated water for the period **April 2025 to Sep 2025** is given below.

The detailed Environment Monitoring report covering analysis report for STP treated water for the compliance period of Oct 2024 to March 2025 is attached as **Annexure -A(ii)**.

Parameter	Unit	Results		Limits as per G.S.R. 1265(E)
		Max	Min	
pH	--	7.90	7.50	6.5 - 9.0
Total Suspended Solids	mg/L	17	14	< 20.0
Biological Oxygen Demand at 27°C, 3 days	mg/L	7.14	< 4.00	< 10
COD (chemical oxygen demand)	mg/L	28.00	12.24	<50
Fecal Coliform	MPN/ 100 ml	120	17	<230

Detailed monthly report is as below.

**STP OUTLET WASTEWATER QUALITY**

Sr. No	Parameters	Unit	April-25	May-25	June-25	July-25	Aug-25	Sep-25	Std Limits
1	pH	--	7.7 @ 25 ° C	7.5 @ 25 ° C	7.9 @ 25 ° C	7.9 @ 25 ° C	7.5 @ 25 ° C	7.9 @ 25 ° C	6.5-9.0
2	Total Suspended Solids	mg/L	15	14	17	15	17	14	20
3	BOD @ 27°C for 3 Days	mg/L	7.14	<4	<4	<4	<4	<4	10
4	Chemical Oxygen Demand	mg/L	24	28	12.24	<4	<4	<4	50
5	Ammonical Nitrogen	mg/L	6.38	7	5.26	5.38	6.27	7.61	-
6	Total Phosphorus	mg/L	0.69	0.75	0.71	0.64	0.52	0.54	1
7	Total Nitrogen	mg/L	9.3	8.76	7.28	7.11	9.22	8.72	10
8	Fecal Coliform	No./100ml	120	27	23	17	23	50	230

**Conclusion:**

The Grab Samples are collected from Terminal-1 Sewage Treatment Plant (STP) Outlet on a monthly Basis (One grab sample per month) and the Results of sample analyzed are in compliance with statutory Norms which are mentioned on the right side of the table.




**AHMEDABAD MUNICIPAL CORPORATION**



Water Project Department,  
5<sup>th</sup> Floor, 'C'-Wing, Sardar Patel Bhavan, Danapith,  
Ahmedabad- 380001. Tel. No. 079-25391611 to 079-25391660, EXT-439

Dt.31.08.2024

To,  
Ahmedabad International Airport Ltd,  
Terminal 1 Building, 1<sup>st</sup> Floor,  
Sardar Vallabhbhai Patel International Airport,  
Ahmedabad-382421



31/09/24

Subject: Water supply charges for New International Terminal building phases I & II at S.V.P.I Airport, Ahmedabad.

Dear Sir,

With reference to the above subject this is to inform you that the water charges for the water supplied to New International Terminal Building and Domestic Airport building (Arrival & Departure) by AMC for the period of April-24 to June-24 on actual consumption basis is **Rs. 25,61,050/-**

You are requested to pay the amount of **Rs. 25,61,050/-** at the earliest by D.D. in favour of "MUNICIPAL COMMISSIONER AHMEDABAD".

Your request to increase water reservation from 500KLPD to 1000 KLPD has been accepted

  
Dy. City Engineer  
(Water Project)

Copy To,

Chief Airport Officer,  
Ahmedabad International Airport  
Adani Corporate House, Shantigram,  
Near Vaishnodevi Circle, S.G. Highway, Khodiyar,  
Ahmedabad-382421





भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन, नदी विकास  
और गाँव संरक्षण विभाग  
केंद्रीय भूमि जल प्राधिकरण  
Government of India  
Ministry of Jal Shakti  
Department of Water Resources,  
River Development & Ganga Rejuvenation  
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

**NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION**

Project Name:	Adani Ahmedabad International Airport Ltd		
Project Address:	Terminal-1, Svpi Airport Ahmedabad, Gujarat – 382475		
Town:	Ahmadabad (m Corp)	Block:	Ahmadabad City
District:	Ahmadabad	State:	Gujarat
Pin Code:			
Communication Address:	Adani Ahmedabad International Airport Ltd, Terminal-1, Svpi Airport Ahmedabad, Gujarat, Ahmadabad City, Ahmadabad, Gujarat - 382475		
Address of CGWB Regional Office:	Central Ground Water Board West Central Region, Swami Narayan College, Building, Shah Alam Tolnaka, Ahmadabad, Gujarat - 380022		

- |                                               |                              |                        |               |
|-----------------------------------------------|------------------------------|------------------------|---------------|
| 1. <b>NOC No.:</b>                            | CGWA/NOC/INF/ORIG/2021/13482 | 3. <b>Category:</b>    | Semi Critical |
| 2. <b>Application No.:</b>                    | 21-4/7725/GJ/INF/2021        | (GWRE 2020)            |               |
| 4. <b>Project Status:</b>                     | Existing Project             | 5. <b>NOC Type:</b>    | New           |
| 6. <b>Valid from:</b>                         | 28/10/2021                   | 7. <b>Valid up to:</b> | 25/10/2026    |
| 8. <b>Ground Water Abstraction Permitted.</b> |                              |                        |               |

Fresh Water		Saline Water		Dewatering		Total	
m <sup>3</sup> /day	m <sup>3</sup> /year						
100.00	36500.00						

9. Details of ground water abstraction /Dewatering structures

Abstraction Structure*	Total Existing No.:9						Total Proposed No.:6					
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
	0	0	0	9	0	0	0	0	0	6	0	0

\*DW- Dug Well, DCB-Dug-cum-Bore Well, BW-Bore Well, TW-Tube Well, MP-Mine Pit, MPu-Mine Pumps

10. Ground Water Abstraction/Restoration Charges paid (Rs.): 73000.00

11. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism

Monitoring Mechanism	Manual		DWLR**		DWLR With Telemetry	
	1	0	1	0	0	0
**DWLR - Digital Water Level Recorder	1	0	1	0	0	0

(Compliance Conditions given overleaf)

This is an auto generated document &amp; need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाओ, जीवन बचाओ  
SAVE WATER - SAVE LIFE

**Validity of this NOC shall be subject to compliance of the following conditions:**

**Mandatory conditions:**

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/seepage from Govt. approved NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website ([www.cgwa-noc.gov.in](http://www.cgwa-noc.gov.in)) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m<sup>3</sup>/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/orders or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents in any such matter as applicable.

**General conditions:**

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premises.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises (along which the firm shall be responsible for any consequences arising thereon).
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing well(s) is/are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) The NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/Court orders in cases related to ground water or any other related matters.
- 24) Proponents who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure II of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m<sup>3</sup>/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/hardcored tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

**(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)**

	<b>Half Yearly Environmental Monitoring Report for Ahmedabad International Airport Limited.,</b>
	<b>April 2025 - Sep 2025</b>

### Annexure A(V)

#### NOISE DATA ANALYSIS

Half Yearly Environmental monitoring during the month of **April 2025 to Sep 2025** consisted of collection and analysis of samples of various environmental attributes like

1. Ambient Noise Level Monitoring.
2. Flight path noise monitoring
3. Noise mapping and zone study as per G.S.R. 568(E) dated 18.06.2018

#### 1. Ambient Noise Levels

Noise levels were measured in 4 locations at in that 2 locations are within Airport Premises and 2 Locations are outside of the Airport for 24 hours on a monthly basis and the measured noise levels in day time and night time from **April 2025 – Sep 2025** are given below in **Table-1**

**TABLE-1**  
**AMBIENT NOISE LEVEL MONITORING RESULTS**

Sr. No.	Name of Locations	Noise Standards		April-25		May-25		June-25		July-25		Aug-25		Sep-25	
		Day	Night	L-Day	L-Night	L-Day	L-Night	L-Day	L-Night	L-Day	L-Night	L-Day	L-Night	L-Day	L-Night
1	T1 Arrival	70	65	67	58	66	58	66	57	68	54	66	52	68	54
2	Meghani Nagar	65	55	62	49	60	49	61	49	63	53	64	51	62	53
3	Nobel Nager	55	45	53	41	53	42	54	41	54	42	52	44	53	43
4	Airport Colony	55	45	51	42	50	40	52	42	51	41	53	42	54	41


**Noise monitoring summary for ambient air Noise monitoring program**

Location	GPCB	Noise Level in Day Time (dB(A))					
	Norms dB(A)	April-25	May-25	June-25	July-25	Aug-25	Sep-25
T1 Arrival	Noise Standards for Airport Zone (70)	67	66	66	68	66	68
Meghni nagar	Noise Standards for Commercial Zone(65)	62	60	61	63	64	62
Nobel nagar	Noise Standards for Residential Zone (55)	53	53	54	54	52	53
Airport colony	Noise Standards for Residential Zone (55)	51	50	52	51	53	54
Minimum		51	50	52	51	52	53
Maximum		67	66	66	68	66	68
Half Yearly average		58.25	57.25	58.25	59	58.75	59.25

Location	GPCB	Noise Level in nighttime dB(A)					
	Norms dB(A)	April-25	May-25	June-25	July-25	Aug-25	Sep-25
T1 Arrival	Noise Standards for Airport Zone (65)	58	58	57	54	52	54
Meghni nagar	Noise Standards for Commercial Zone (55)	49	49	49	53	51	53
Nobel nagar	Noise Standards for Residential Zone (45)	41	42	41	42	44	43
Airport colony	Noise Standards for Residential Zone (45)	42	40	42	41	42	41
Minimum		41	40	41	41	42	41
Maximum		58	58	57	54	52	54
Half Yearly average		47.5	47.25	47.25	47.5	47.25	47.75

**Conclusion:**

The sampling is done in four locations for a sampling period of 24 hours. The observed L-Day; and L-Night Monitored Values were found to be well within the prescribed limits of Latest Notification on 18th June 2018- GSR 568(E).



**CNMT (Continuous Noise Monitoring Terminal) Installed towards Runway 23**

## **2. Flight Path Area Noise Levels Monitoring**

We have Installed Sound Level meters in 3 designated locations to measure the Noise continuously for 7 days in each location to monitor the noise at nearest habitation about 250 and 500 meters respectively from the airport compound wall in either side of Runway to know the impact of Aeroplane takeoff and landing activities. And the Monitoring Results are presented in **Table No-2.1 to Table No-2.3**

**TABLE-2.1**  
**FLIGHT PATH AREA NOISE LEVEL MONITORING RESULTS AT MEGANI NAGAR**

Location Code	FPN-1			
Name of the Location →	Megani Nagar			
GPS Coordinates	23° 3'45.92"N 72°37'5.57"E			
Distance from Airport compound wall in meters →	65			
Results-d(B)A				
Date of Monitoring	L-Day	L-night	L-equivalent	Limit
Day 01:- 03 <sup>rd</sup> June 2025	48.7	43.1	45.9	65 dB
Day02:- 04 <sup>th</sup> June 2025	47.2	41.8	44.5	
Day03:- 05 <sup>th</sup> June 2025	48.1	43.6	45.9	
Day04:- 06 <sup>th</sup> June 2025	54.3	46.7	50.5	
Day05:- 08 <sup>th</sup> June 2025	55.6	47.1	51.4	
Day06:- 10 <sup>th</sup> June 2025	50.1	42.7	46.4	
Day07:- 11 <sup>th</sup> June 2025	52.4	43.5	48.0	
<b>Description of the Location:</b>				
Flight Path Noise monitoring location is selected on the basis of the area which comes under the path of Flight Movement during take-off and landing. And this particular location is situated the south side of Airport Compound Wall at a distance of 65 meters and Area likely has comes under commercial Zone.				

Location Code	FPN-1			
Name of the Location →	Megani Nagar			
GPS Coordinates	23° 3'45.92"N 72°37'5.57"E			
Distance from Airport compound wall in meters →	65			
Results-d(B)A				
Date of Monitoring	L-Day	L-night	L-equivalent	Limit
Day01:- 13 <sup>th</sup> June 2025	48.3	42.1	45.2	65 dB
Day02:- 14 <sup>th</sup> June 2025	51.5	44.5	48.0	
Day03:- 15 <sup>th</sup> June 2025	49.6	42.7	46.2	
Day04:- 16 <sup>th</sup> June 2025	54.2	44.1	49.2	
Day05:- 17 <sup>th</sup> June 2025	50.1	42.3	46.2	
Day06:- 18 <sup>th</sup> June 2025	52.8	45.2	49.0	
Day07:- 20 <sup>th</sup> June 2025	53.5	45.8	49.7	
<b>Description of the Location:</b>				
Flight Path Noise monitoring location is selected on the basis of the area which comes under the path of Flight Movement during take-off and landing. And this particular location is situated the south side of Airport Compound Wall at a distance of 65 meters and Area has likely come under commercial Zone..				

**TABLE-2.2**  
**FLIGHT PATH AREA NOISE LEVEL MONITORING RESULTS AT MEGANI NAGAR**

Location Code	FPN -2			
Name of the Location →	Megani Nagar			
GPS Coordinates	23° 3'37.25"N 72°36'56.87"E			
Distance from Airport Compound Wall in meters →	430			
	Results-d(B)A			
Date of Monitoring	L-Day	L-night	L-equivalent	Limit
Day01:- 21 <sup>th</sup> June 2025	52.1	43.8	48.0	65 dB
Day02:- 24 <sup>th</sup> June 2025	51.3	42.1	46.7	
Day03:- 25 <sup>th</sup> June 2025	48.7	41.5	45.1	
Day04:- 25 <sup>th</sup> June 2025	53.6	44.7	49.2	
Day05:- 27 <sup>th</sup> June 2025	54.2	45.3	49.8	
Day06:- 28 <sup>th</sup> June 2025	52.4	43.6	48.0	
Day07:- 30 <sup>th</sup> June 2025	51.8	42.7	47.3	
<b>Description of the Location:</b> Flight Path Noise monitoring location is selected on the basis of the area which comes under the path of Flight Movement during take-off and landing. And this particular location is situated the south side of Airport Compound Wall at a distance of 430 meters. And the area has likely come under commercial Zone.				

Location Code	FPN -2			
Name of the Location →	Megani Nagar			
GPS Coordinates	23° 3'37.25"N 72°36'56.87"E			
Distance from Airport Compound Wall in meters →	430			
	Results-d(B)A			
Date of Monitoring	L-Day	L-night	L-equivalent	Limit
Day 01:- 02 <sup>nd</sup> September 2025	47.7	42.5	45.1	65 dB
Day02:- 03 <sup>rd</sup> September 2025	48.1	43.5	45.8	
Day03:- 05 <sup>th</sup> September 2025	55.7	46.8	51.2	
Day04:- 06 <sup>th</sup> September 2025	52.1	45.5	48.8	
Day05:- 09 <sup>th</sup> September 2025	56.3	47.5	51.9	
Day06:- 10 <sup>th</sup> September 2025	53.2	43.8	48.5	
Day07:- 12 <sup>th</sup> September 2025	49.7	41.5	45.6	
<b>Description of the Location:</b> Flight Path Noise monitoring location is selected on the basis of the area which comes under the path of Flight Movement during take-off and landing. And this particular location is situated the south side of Airport Compound Wall at a distance of 430 meters. And the area has likely come under commercial Zone..				

TABLE-2.3

**FLIGHT PATH AREA NOISE LEVEL MONITORING RESULTS AT NANDIGRAM SOCIETY**

Location Code	FPN -3			
Name of the Location →	Nandigram Society			
GPS Coordinates	23° 5'44.34"N 72°39'16.41"E			
Distance from Airport Compound Wall in meters →	660			
	Results-d(B)A			Limit
Date of Monitoring	L-Day	L-night	L-equivalent	Limit
Day01:- 13 <sup>th</sup> September 2025	53.6	44.7	49.2	65 dB
Day02:- 14 <sup>th</sup> September 2025	50.1	43.5	46.8	
Day03:- 15 <sup>th</sup> September 2025	54.4	46.8	50.6	
Day04:- 17 <sup>th</sup> September 2025	52.1	43.4	47.8	
Day05:- 18 <sup>th</sup> September 2025	55.8	46.2	51.0	
Day06:- 19 <sup>th</sup> September 2025	51.4	43.1	47.2	
Day07:- 20 <sup>th</sup> September 2025	54.3	44.7	49.5	
<b>Description of the Location:</b> Flight Path Noise monitoring location is selected on the basis of the area which comes under the path of Flight movement during take-off and landing. And this particular location is situated on the North side of Airport compound Wall at a distance of 660 meters. And the area has likely come under commercial Zone.				

Location Code	FPN -3			
Name of the Location →	Nandigram Society			
GPS Coordinates	23° 5'44.34"N 72°39'16.41"E			
Distance from Airport Compound Wall in meters →	660			
	Results-d(B)A			Limit
Date of Monitoring	L-Day	L-night	L-equivalent	Limit
Day01:- 22 <sup>th</sup> September 2025	53.3	44.1	48.7	65 dB
Day02:- 23 <sup>th</sup> September 2025	49.8	42.5	46.2	
Day03:- 24 <sup>th</sup> September 2025	50.3	43.8	47.1	
Day04:- 26 <sup>th</sup> September 2025	48.7	41.3	45.0	
Day05:- 27 <sup>th</sup> September 2025	52.8	46.4	49.6	
Day06:- 29 <sup>th</sup> September 2025	53.5	45.7	49.6	
Day07:- 30 <sup>th</sup> September 2025	50.8	43.6	47.2	
<b>Description of the Location:</b> Flight Path Noise monitoring location is selected on the basis of the area which comes under the path of Flight movement during take-off and landing. And this particular location is situated on the North side of Airport compound Wall at a distance of 660 meters. And the area has likely come under commercial Zone.				

**NOISE MONITORING, MAPPING & ZONE STUDY CONDUCTED DURING- Dec 2024 as per GSR 568**

**Ahmedabad International Airport Limited (AIAL) Noise mapping and noise zone Study**

**Objective:** Conduct a noise mapping and noise zone study at Ahmedabad International Airport as per GSR 568 (E) of MOEF&CC and submission of the report to DGCA

**Data Processing and analysis:** Utilized flight plan data for CY 2024, meteorological data, airport layout, and noise monitoring instruments meeting Class 1 standards (IEC 61672-1) for 7 days monitoring program in Dec 2024 and M/s. Anotec has used their software to create noise counters showing Lday and Lnight.

**Noise Monitoring:** Conducted at runway ends 05 and 23, including ADSB monitoring and flight track data.

**Noise Mapping:** Carried out in accordance with DGCA CAR section 10, CPCB, and MoEF gazette notification G.S.R. 568(E) dated 18.06.2018.

**Noise zone maps (results & validation):**

- Lday (average sound level from 0600-2200 hrs) and 62 dBA noise counter created
- Lnight (average sound level from 2200-0600 hrs). 57 dBA noise counter created

Applicable limits for airport Category	Limits in L <sub>eq</sub> (dB(A))	
	Day Time*	Night time**
<b>Airport Zone (busy airport)</b>	70	65

**Noise Lmax values :** Along with Noise zone, Noise Lmax values were calculated for Ahmedabad International Airport, showing Lmax values at two locations.

Location point	City / Village	L <sub>Amax</sub> , dB	Coordinates	
			Latitude	Longitude
<b>AMD_LAMAX_1</b>	Ghanshyam Nagar	119.4	23°03'45.27"N	72°37'07.95"E
<b>AMD_LAMAX_2</b>	Ambica Nagar	111.9	23°05'46.71"N	72°39'17.62"E

**Boundary Noise Levels:** As per CPCB noise rules, Airport is considered as a industrial zone, the noise limits for industrial zone are still applicable, therefore boundary Noise levels of Ahmedabad airport was derived in dB A

	L <sub>day</sub>	L <sub>night</sub>
<b>Boundary</b>	64.9	63.4
<b>Limit</b>	75	70
<b>Margin</b>	10.1	6.6

**Conclusion:**

This study is as per the requirement of G.S.R. 568(E) dated 18.06.2018, The noise maps and noise zone of Ahmedabad airport are developed and presented to the Airport operations management. The soft copy of report has to be submitted to DGCA for approval. Once approval is received from DGCA, We shall publish the approved noise zone maps in our web site and also inform to the local building plan approval authority.

	<b>Half Yearly Environmental Monitoring Report for Ahmedabad International Airport Limited.,</b>
	<b>April 2025 - Sep 2025</b>

### Annexure A2(vi)- Waste management

As part of operations, an effective Solid Waste Management plan has been implemented at site, which includes:

- ✓ Collection & Segregation of waste from the source
- ✓ Providing separate waste bins (for dry & wet waste) at all the locations including Airside, Landside & Terminals
- ✓ Recycling of solid waste by engaging recyclers

More than 255 dustbins are provided at the passenger as well as staff movement areas and the collected waste is sent to 4 collection points provided (airside and city side). Later the collected waste is sent to centralized waste segregation shed, wherein waste is segregated into different categories such as recyclables and further handled in line to 5R principles.

AMC registered vendor M/s. Sharda Enterprises is implementing Solid waste management at site. Details of solid waste generated during the compliance period of **April 2025 to Sep 2025** is given below.

Other Metal waste directly disposed by AIAL to recycler also included in recyclable waste data as below.

Month	Recyclable Waste	Food Waste (Composter)
	(kg)	(kg)
April-25	19708	11140
May-25	20410	11595
June-25	19228	11400
July 25	21360	10755
Aug 25	20540	11325
Sep 25	19228	11400

Entire recyclable waste is segregated & recycled. Food waste is being composted in an organic waste Composter machine on the premises.



Collection points at total 4 locations



Waste recovery with segregation



MRF facility for waste recovery



OWC facility for food waste processing

Zero waste to landfill certification audit conducted with demonstrating compliance on waste management practices toward zero waste to landfill certification process and final result is platinum category rating with more than 99% waste diversion for five R principle of waste management and avoiding waste disposal to landfill disposal.

**AIAL announces a significant environmental milestone: the successful certification as a Zero Waste to Landfill (ZWL) Platinum—Class I Rated airport by the Confederation of Indian Industry (CII).**

Dedicated Solid Waste yard and ZWL certification process.





## Certificate of Validation

### Zero Waste to Landfill Achievement

Presented to

### Sardar Vallabhbhai Patel International Airport

**Ahmedabad International Airport Ltd**  
At & Post -Hansol, Ahmedabad, Gujarat -380003

This is to certify that **Sardar Vallabhbhai Patel International Airport, Ahmedabad** has successfully achieved the **Zero Waste to Landfill (ZWL) Platinum - Class I Rating** by demonstrating outstanding leadership in waste management practices through:

- *Waste Diversion Rate: Attaining a diversion rate greater than 99.9 % from landfill through the adoption and implementation of the 5R principles — Reduce, Reuse, Repurpose, Recycle, and Recover.*
- *Sustained Commitment: Maintaining ongoing compliance through participation in annual surveillance audits to ensure conformance and adherence to ZWL principles.*

**ZERO  
WASTE  
TO LANDFILL**



**Seema Arora**  
Deputy Director General  
Confederation of Indian Industry

Certificate Issued on: 26<sup>th</sup> May 2025

Certificate No.: CII/ZWL/2025/002

Validity of Certification: From 22 February 2025 to 21 February 2028

This certification is awarded based on the evidence submitted and verified during the assessment period. The certified organization bears sole responsibility for the accuracy of submitted data and for maintaining ongoing compliance. For detailed terms of certification, audit findings, and evaluation methodology, please refer to the attached Annexure.



## Annexure

**Verification Date:** 20<sup>th</sup> –21<sup>st</sup> February 2025

**Verification Report No.:** ZWL/Verification/2025/AIAL/SVPIA

The CII-ITC Centre of Excellence for Sustainable Development (CII-CESD) was engaged by Ahmedabad International Airport Ltd (AIAL), Hansol, Ahmedabad, Gujrat-380003 to provide assurance of their Zero Waste to Landfill (ZWL) practices.

### Intended users

The intended users of this assurance statement are the management and stakeholders of Ahmedabad International Airport Ltd (AIAL). CII-CESD's responsibility was limited to the ZWL assessment and verification of applicable documentation, monitored data, and observations from the site visit, in accordance with the agreed scope of work. This engagement is based on the assumption that the information and data provided by the client are authentic, accurate, and complete.

### Responsibilities of AIAL and the Assurance Provider

AIAL is solely responsible for the content and accuracy of the ZWL Report and related data. CII-CESD's assurance statement represents an independent and balanced opinion based on the information provided by AIAL.

### Assurance standard

The assurance was conducted in accordance with AA1000 Assurance Standard (AA1000AS v3), Type 1, Moderate Level of Assurance, evaluating adherence to the AA1000 Accountability Principles Standard (AA1000APS 2018), namely: Inclusivity, Materiality, Responsiveness and Impact

### Methodology

The assurance process involved both a desktop assessment and an on-site verification, including:

- Review of documentation and records
- Verification of waste management data
- Site inspections
- Interviews with EHS team members, waste handlers, and personnel involved in waste management

A risk-based approach was adopted, focusing on critical waste streams from generation to end-of-life. Activities included:

- Review of processes for waste mapping and identification



- Assessment of systems for data collection, consolidation, and monitoring
- Interviews with EHS and operations personnel
- Evaluation of adherence to AA1000APS principles
- Examination of landfill diversion rate calculation methodologies
- Review of waste management practices and records up to the supply chain vendors
- Verification of legal compliance documentation for waste handling

### Scope and Limitations

The verification was based on the procedures, documents, records, data provided by the client, desktop assessment and site visits. Meetings, clarifications from the client through con calls. The boundary is as set out in the report covering Zero Waste to Landfill activities including the Waste Diversion Rate of AIAL. During the assurance process, we did not come across limitations to the scope of the agreed assurance engagement. As part of this assurance engagement, M/s Sharda Enterprise was also interviewed. This statement relates specifically to the information disclosed in the ZWL Report and may not be interpreted as validating environmental data reporting in other sources.

### ZWL Rating Criteria

#### *Rating Criteria Based on Waste Diversion Rate*

Certificate Category	Waste Diversion Rate
Platinum	> 99 % diversion
Gold	> 95 % diversion
Silver	> 90 % diversion

#### *Special Recognition: 5R Metrics Performance*

Special Recognition Class	Diversion through 5 R's (Reduce, Reuse, Repurpose, Recycle, Recover)
Class I	> 70 %
Class II	> 50 %
Class III	> 30 %
Class IV	Up to 30 %

### Findings, Conclusions, and Recommendations

The ZWL assessment at **SVPIA, Ahmedabad** was conducted on **20<sup>th</sup> and 21<sup>st</sup> February 2025** through a combination of desktop review and on-site verification. The assessment confirmed that SVPIA, Ahmedabad has implemented effective waste management practices and achieved a landfill diversion rate greater than 99.9%. Over 99.9% of waste generated for waste streams including municipal solid waste (MSW dry and wet), plastic waste, e-waste, and battery waste, hazardous waste and C&D waste have been diverted through principles like reuse, recycling, repurpose and recovery.



The submitted documentation and site observations support the conclusion that the report accurately reflects ZWL practices of SVPIA, Ahmedabad. These practices meet the criteria for Type-1, Moderate Assurance as per the AA1000 Assurance Standard (AA1000AS). The SVPIA, Ahmedabad is therefore recommended for Platinum Certification under Class I of the ZWL Rating System.

### ***Positive Observations***

- Strong leadership and commitment from top management.
- A dedicated EHS team effectively manages waste handling and monitoring.
- Demonstrated reduction in the quantity of hazardous waste, MSW (wet), plastic waste, and construction & demolition (C&D) waste generated, compared to the baseline year 2023–2024.
- Key measures were undertaken to reduce paper, plastic, and collection bag waste from airport operations including the implementation of DigiYatra, installation of hand dryers, and phase-out of PET bottles.
- Well-structured on-site systems for waste storage, labelling, segregation and transport for processing.

### ***Recommendations***

1. Ensure traceability of waste handled by off-site vendors through end-of-life tracking.
2. Secure vendor declarations confirming no landfill disposal of residual by-products post-processing.
3. Implement source reduction initiatives, such as biodegradable packaging and digital documentation to minimize the consumption of paper cardboard and cartons.
4. Identify opportunities to reduce metal waste and engage vendors for potential repurposing and reuse within SVPIA premises.
5. Make plan for C&D waste processing to manage future volumes from repair and construction.

### ***Validity and Terms***

- **Initial Certification Validity:** 22<sup>nd</sup> February 2025 to 21<sup>st</sup> February 2028
- **Surveillance Requirement:** Annual surveillance audits are required to maintain certification status.
- **Non-Compliance:** CII-CESD reserves the right to revoke certification if significant deviations or non-conformances are identified.

---

	<b>Half Yearly Environmental Monitoring Report for Ahmedabad International Airport Limited.,</b>
	<b>April 2025 - Sep 2025</b>

### Annexure B(iv)

- We have proposed the following activities in this financial year as part of CSR

Types of CSR activities	CSR related work and its preparation going on with following listed project for nearby community and for site.	Status
Health	Voluntary blood donation camp	A total of 358 volunteers donated blood on 23, 24 June 2025
Education -Learning based initiatives	Udaan program	Till date 2827 student visited in FY 2024-25
Infrastructure /facility development /climate change initiative	Miyawaki . forest Tree plantation activity is done at Ahmedabad municipal corporation plot no 234 near nana chiloda under PPP (public private partnership program)	~20 lakh spent, and total <b>plantation done is 2600 trees</b> at AMC plot near Nana chiloda. The photograph of the plantation is as below
Health	Health and Wellbeing activity: eye testing in nearby schools were organized with Adani foundation	~4 lakh Spent and during this program, total 1250 underprivilege student eye checkups done and more than 450 spectacles were distributed to those students, who have spherical numbers. Program pic is as below.
Infrastructure /facility development /climate change initiative	Tree plantation activity is under progress with Ahmedabad municipal corporation plot near Gatlodia and Lambha village under public private partnership program.	~120 lakh budgeted and work started for 45000 tree plantation at AMC plot near Gatlodia and lambha village. Progress photos will be shared during next compliance report as plantation will be over.

**Project Udaan:**

Site Name/ Project Started from	School/ Colleges Visited	Total Students (Male)	Total Students (Female)	Total Faculties	Total Participants
S.V.P.I. Airport (Gujarat)  Udaan Project started from Aug. 2022	71	1247	1437	143	2827

Project Udaan is a learning-based initiative focused on the youth of the nation. Under this project, services are absolutely-free of cost for all types of Govt. schools. Where in students are given a chance to visit the AIAL, SVPI airport facility to get an insight into the large-scale business activities carried out there. The major objective behind organizing such visits is to encourage young minds to develop an interest in all sorts of enterprises and to encourage them to dream big in life. The Adani Foundation believes that when students are given exposure, it helps them to understand their own potential and get motivated to work towards the same. The Udaan project is geared towards motivating the students of our country and encouraging them to achieve greatness as well as inculcating an entrepreneurial spirit in their lives. It is a learning-based initiative focusing on the UN's fourth Sustainable Development Goal - Quality Education.

**VOLUNTARY BLOOD DONATION CHAMP:**

we celebrate our beloved chairman's Birthday every year by donating blood for last 13 years.

Date: 23rd & 24th June

🕒 Time: 9:00 AM to 7:00 PM

- Venue: Location 1: T1, first floor, near pantry area. Location 2: Project office, Conference room

On the occasion of our beloved Chairman's Birthday, in association with Red-cross blood bank for all Ahmedabad based Employees, Family members, Friends, Relatives & Associated Business Partners.

Below are the details of Mega Blood Donation Drive locations for Ahmedabad.

**DONATE  
BLOOD**


**LAST YEAR COUNT - 276**

**Summary of 2025 Camp**


Total Count - 358.  
Acceptance - 309.  
Rejection - 49.

SVPI AIRPORT





PPP PLANTATION PROGRAM WITH AMC NEAR NANA CHILODA VILLAGE




Miyawaki forest tree plantation done as climate change initiatives  
Total 2600 offset plantation done at nana chiloda AMC plot with all due permissions as well as 5 years maintenance plan.



**School children – eye check and spectacle distribution program** and awareness drive to make our eye healthy in 4 different schools surrounding the airport and total

1250 school children eye check up done and more than 450 spectacles were distributed to the children. Awareness sessions also conducted for good health of our eye sights.





For remaining financial year 2025-26, we have approved budget as well as actionable activities as under

S N o	Site	Thematic Area+	Program	Activity Item Details
1	AMD	Education	Strengthening Public education infra	School bag distribution to students in Municipal schools (more than 1000 bags)
2	AMD	Community Health	Enhancing Access to primary Health care	With the help of agency: Vision Spring, New Delhi: community eye checkup and spectacles distribution to the taxi drivers. (targeted 1000 taxi drivers) And then community surrounding airport (1000 community)
4	AMD	Community Development	Need based Community infrastructure	Awareness generation among mass regarding air safety issues (20 programs)
5	AMD	Climate Action	Water Conservation	Rain water harvesting structure at Municipal schools at Meghani Nagar (2 RWH units)

\*\*\*

	<b>Half Yearly Environmental Monitoring Report for Ahmedabad International Airport Limited.,</b>
	<b>April 2025 – Sep 2025</b>

### Annexure B(vii)

#### Complied

#### Energy Saving and other sustainability Measures

in Sep 2023 some of the energy and water saving initiatives have been taken, and we are getting benefits of the same during monitoring period of April 2025 to September 2025.

Energy Saving and other sustainability Measures are as below:

- 135 water aerators installed at washroom area which resulted and expected saving of 1200-1500 KL water per month, which has potential for pumping and water saving.
- At terminal 1 and 2, all paper towels were phased out and only hand dryers are used. This is a sustainability initiative and paper & plastic saving initiative. **Approximately, ~810 trees are saved yearly** from being axed owing to replacement of Paper Towels. Reduction of plastic bags used for collection and disposal by **2.5 tons** annually. This also resulted in potential Cost saving of **~INR 66 Lakh y-o-y** related to paper towels purchases.
- Installed **1400 KW** capacity solar panels to utilize renewable energy and to reduce the GHG emissions.
- The conventional lights have been replaced with LED lights in all the possible locations which has reduced the total energy consumption.
- We continue with the temperature of the Chillers is increased from 7°C to 11-12°C as part of maintenance & controlling the temperature inside the Terminal.
- Re-Engineering: The number of chillers at airport premises are reduced by combining the chiller lines of Arrival & Departure areas as part of energy conservation.
- Temperature Controllers are installed for AHU operations.
- VFD drive installed at STP blower and broken diffuser replaced, so that air and energy losses can be avoided.
- Air-condition in server rooms' is localized in place of centralized system to reduce energy consumption.
- Proactively controlled lighting systems are provided. The landside streetlights are made operational on timer basis according to the daylight.
- Sensitization of the team & continuous follow up is done for further improvising the Airport environmental & sustainability aspects.
- Timely maintenance of AHU's filters & coil, chillers, cooling towers is being carried out at AIAL. Regular monitoring is being carried out for the same.

- Four Electrical vehicles (e-vehicles- Follow me vehicle at air side) and Two EV Charging Stations at airside are introduced. **Total 62% of our vehicle are now Evs**
- Various plastic waste reduction drive performed. Exp. SUP free airport drive and assessment stopped using 200 ML PET bottle at airport lounge with replacement of water dispenser with 300 ML reusable glass. We have stopped using PET bottles in any meeting or conference with replacement of glass refillable bottles. Various awareness sessions organized with concessioner partners and with waste handlers for waste reductions incitive.

#### Solid Waste

AIAL is identifying and implementing sustainable waste management techniques which focuses on 5R (Reduce, Reprocess, Reuse, Recycle and Recover) principles.

Regular cleaning of roads by Mechanized Sweeping Machines.

**Zero waste to landfill** certification audit conducted with demonstrating compliance on waste management practices toward zero waste to landfill certification process and final result is platinum category rating with more than **99% waste diversion for five R principle** of waste management and avoiding waste disposal to landfill disposal.

#### Wastewater Treatment and Recycling

- Sewage Treatment Plant (STP) (technology : MBR - Membrane bio reactor) is provided for treating the entire sewage generated.
- New 700 KLD MBR based STP constructed and by 30 March 2025, the commissioning of the STP completed.
- Now as phase 2 STP upgradation program, AIAL's existing 500 KLD MBBR based STP has been modernized with 700 KLD MBR based STP. So AIAL'S integrated STP capacity will be 1400 KLD.
- The treated wastewater from the STP is utilized for gardening and horticulture activity within premises to conserve the freshwater consumption. 100 % water is being reuse/utilised within premises.

#### Carbon Emissions Inventory & Carbon Neutrality


- Airport carbon emission inventory has been carried out and targets are set for achieving Carbon Neutrality of airport operations by 2025 and operational net zero by 2029

- We have defined systems for developing annual emission inventory (greenhouse gas emissions) in line with ISO 14064 and ACA Level 4+ requirement, which is the highest-level of accreditation.
- Based on our baseline emissions and future projections, we have developed a detailed roadmap for achieving carbon neutrality and net zero status in accordance with ACA guidelines.
- Replacement of R22 refrigerant based AC units with better R32 refrigerant based BEE 5 Star Rated AC's
- Transition to 100% use of Green Electricity by 2026
- We have **replaced all 273 CO2 fire extinguishers with clean agent type of fire extinguishers** as move towards scope 1 emission reduction. All phased out CO2 extinguishers are under disposal program.
- achieved 62% EV vehicle at the SVPI airport as fleet decarbonization plan.
- In the month of Dec 2024, we have carried out assessment as per water positive status study from TERI. **Draft report of water positive status received and under review and implementation phase.**
- AIAL has announces a significant environmental milestone: the successful certification as a **Zero Waste to Landfill (ZWL) Platinum—Class I Rated airport by the Confederation of Indian Industry (CII)**.
- The certification validates SVPIA's outstanding waste diversion practices, with a diversion rate exceeding 99.9%. This achievement results from AIAL's comprehensive implementation of the 5R principles—Reduce, Reuse, Reprocess, Recycle, and Recover
- AIAL has carried out water assessment study in consultation with reputed institute TERI. Mitigation measures & adaptation plan will be implemented for attaining water positive status.

	Half Yearly Environmental Monitoring Report for Ahmedabad International Airport Limited.,
	April 2025 – Sep 2025

**Annexure B(viii) Environment management cell.**

Site Environment Head is MSC Environment science and having more than 20 years of experience in the field of environment respectively.



# Annexure B(x)

<b>adani</b> <sup>TM</sup>	<b>Half Yearly Environmental Monitoring Report for Ahmedabad International Airport Limited.,</b>
	<b>April 2025- Sep 2025</b>


## Annexure B(X) Cost of Environmental Protection Measures of AIAL, Ahmedabad

Activity	Cost incurred (INR in Lacs)
Cost incurred for Legal & Statutory Expenses, Environment Monitoring Services, Hazardous / Non-Hazardous Waste Management & Disposal, Environment event Celebration, Horticulture Expenses, O&M of Sewage Treatment Plant, wildlife control and biodiversity initiative cost, fire and safety management and sustainability initiatives etc.	April 25 to Sep 25- <b>Total: ~ 2267 Lakh for the monitoring period</b>

<b>Cost of Environmental Protection Measures of AIAL, Ahmedabad (FY 2025-26) April to Sep 2025</b>	
<b>Cost of Environmental Protection</b>	<b>OPEX/CAPEX (INR)</b>
Environmental Operations (Envi. monitoring/legal fees)	1,644,941
Horticulture /greenbelt development and maintenance cost	11560444.87
Wildlife and biodiversity initiative and management	45,514,451
Fire and safety protection and operations	10,886,399
Waste water management: STP operations	800,000
IMS and Five S implementation	725,000
<b>Other Sustainability projects /energy efficacy improvement</b>	
Upgradation of Chiller, LED Lights, Replacement of Air Conditioning System, STP pipeline network, AHU system, Digitalization	26,470,675
EV vehicle purchase- 3 Number	75,000,000
Refurbishment of 700 KLD MBR based STP	10700000
Installation Noise Monitoring Terminal as per DGCA	2720078
Noise Monitoring Terminal as per DGCA Study	1806147.2
Rainwater Harvesting Work, Land Side (Strom Water)	38910740.27
<b>Cost of Environmental Protection Measures (FY 2025-26)</b>	
<b>(In lakh)</b>	<b>2,267</b>

\*\*\*

File No.J-11/23-2022-IROGNR



भारत सरकार  
GOVERNMENT OF INDIA  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय  
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE  
CHANGE  
एकीकृत क्षेत्रीय कार्यालय, गांधीनगर / Integrated Regional Office,  
Gandhinagar



ए 407, 409 "अरण्य भवन", सीएच-3 सर्कल के पास, सेक्टर-10 ए, गांधीनगर-382010/ A-407& A-409.  
"ARANYA BHAWAN" Near CH-3 Circle, Sector-10A, Gandhinagar-382010  
दूरभाष/Tel No: +9179-23255067 Email: iro.gandhingr-mefcc@gov.in

Dated:20<sup>th</sup> June, 2022

To

The Additional Director/ Scientist 'E'  
Monitoring Cell  
Ministry of Environment, Forest and Climate change,  
Indira Paryavaran Bhawan, Jorbagh Road, Aliganj, New Delhi-110003  
Subject: Certified Compliance to Ahmedabad International Airport Limited (AIAL) for  
Construction of New International Terminal Building and a New Domestic Arrival Block,  
Ahmedabad, Gujarat - reg.

Ref: File No. 10-6/2006-IA.III dated 31.07.2006.

Madam/Sir,

With reference to the cited subject it is bring to your kind notice that the aforesaid project was inspected by the undersigned on 27.05.2022 for the purpose of issuing certified compliance report.

2. Accordingly, a detailed monitoring report (copy enclosed) along with observations is being attached herewith for perusal and further appropriate action.

Encl: As above

(Dr. Yogesh Kumar)  
Deputy Director (S)/Scientist- 'C'  
IRO Gandhinagar, MoEFCC

Copy to:

1. The Member Secretary, SEIAA Gujarat, Sector 10A, Gandhinagar (msseiaagj@gmail.com).
2. Mr. BG Gandhi, Chief Airport Officer, Adani Corporate House, Shantigram, Near Vaishnodevi Circle, S.G Highway 382421, Email : cao.ahmedabadairport@adani.com

**Monitoring the Implementation of Environmental Safeguard**  
**Ministry of Environment, Forest & Climate Change**  
**Integrated Regional Office, Gandhinagar**  
**MONITORING REPORT**  
**PART I**  
**DATA SHEET**

1.	Project type: River valley/ Mining/ Industry / thermal/ nuclear other (specify)	:	Other (Airport project)
2.	Name of the project	:	Construction of New International Terminal Building and a New Domestic Arrival Block, Ahmedabad, Gujarat
3.	Clearance later (s) / OM No. & date	:	F.N: 10-6/2006-IA.III dated 31.07.2006
4.	Location: a) Districts b) State (s) c) Latitude / Longitude	:	Ahmedabad Gujarat Latitude: 23 <sup>0</sup> 04'14" N Longitude: 72 <sup>0</sup> 37'37" E
5.	Address for correspondence a. Address of the Concerned Project Chief Engineer (with pin code and telephone/telex/ fax numbers) b. Address of the executive project engineer/ manager with pin code and telephone dallas text number (with pin code and telephone/telex/ fax numbers)	:	Mr. BG Gandhi Chief Airport Officer Adani Corporate House, Shantigram, Near Vaishnodevi Circle, S.G Highway 382421 Email : cao.ahmedabadairport@adani.com  Mr. Kishore Babu Head-HSE Chief Airport Officer Adani Corporate House, Shantigram, Near Vaishnodevi Circle, S.G Highway 382421 Mobile No: 7680023090 Email : kishore.babu@adani.com
6.	Silent features a. Of the project  Current status or given in EC	:	As a part of the Environment clearance following facilities are developed and are under operation: <ul style="list-style-type: none"> <li>• New International Terminal Building</li> <li>• New Domestic Arrival Block along with the associated facilities.</li> </ul> Apart from the above, following facilities were considered prior to this Environment Clearance: <ul style="list-style-type: none"> <li>• New Terminal Building – Domestic (Arrival &amp; Departure)</li> <li>• New Terminal Building- International (Arrival &amp; Departure)</li> <li>• New Domestic Departure Building</li> <li>• Apron, Hangar</li> <li>• Runway &amp; Taxiway</li> <li>• Support Infra [such as of STP, ARFF, Fuel Storage, Police station, Airport Health Organization, CISF Housing Barrack etc]</li> </ul>

b. Of the Environmental Management Plan :

Salient Features of the EMP are as under

IMS Certification:

IMS certification (ISO 9001, ISO 14001, & ISO 45001) issued to SVPIA

Environment Monitoring

Regular Environment Monitoring being carried out at site and all the parameters are within the standard norms.

Wastewater Treatment and Disposal /Recycling

0.5 MLD of Sewage Treatment Plant (STP) is operational at SVPIA. The treated waste water generated from the STP is utilized for gardening and horticulture activity within SVPIA premises to conserve the fresh water consumption

Solid Waste Management plan

An effective Solid Waste Management plan has been implemented at site, which includes, Collection & Segregation of waste from the source & handing over to the recyclers to manage waste inline to 5R principles.

Water Conservation

Sensor based water taps, dry cleaning of solar panel, Ground Water recharging pits & Recycled of STP treated water for Horticulture purpose.

Noise Control

DG set provided with acoustic enclosure, Green cover, Regular Noise Monitoring

Air Management

Adequate Stack height to DG Set, Green cover, Regular Ambient Air Quality Monitoring, DG set flue gas Monitoring,

Energy Savings

1400 KW capacity solar panels, LED lights,

Fund utilized as under EMP

Sr. No.	Activity	Cost incurred (INR in Lakhs)
		2021 – 2022
1	Environmental Monitoring	17.3
2	Horticulture Expenses	281.7
3	O&M of Sewage Treatment Plant & others	25.3
Total		324.3

Environmental Monitoring Program:

Sr.No.	Attribute	Parameters	Frequency of monitoring
1	Ambient air quality	As per NAAQS 2009 parameters	24 hourly samples Twice In a Week
2	Domestic Water Quality	Physical, Chemical & Bacterial and heavy metals ( As Per IS: 10500)	Monthly
3	Water Quality (STP)	Physical, Chemical & Bacterial	Monthly
4	Ground water Quality	Physical, Chemical & Bacterial and heavy metals ( As Per IS: 10500)	Quarterly
5	Ambient Noise Levels	Noise levels Leq , Lday & Lnight in dB(A)	Monthly
6	Continuously Noise levels (Flight Path Noise Monitoring)	Noise levels Leq , Lday & Lnight in dB(A)	Quarterly
7	Noise Monitoring real time Permanent NM	Noise levels LAeq , LAFMax & LApeak and LASMax in dB(A)	Monthly
8	DG Set Noise Monitoring	Noise levels in dB(A)	Quarterly
9	DG Set Flue Gas Monitoring (Stack Monitoring)	Stack Temperature, Flue Gas Velocity, PM, SO2,NOX,CO,HC	Six Monthly
10	Indore Air quality	CO, CO2 & VOC	Yearly
11	Soil Quality	Physical- Chemical, heavy metals	Half yearly

7. Production details during compliance period : This is an airport infrastructure project and as such there are no production units

8.	Breakup of the project area a. Submergence area: forest and non-forest b. Others	: As a part of concession agreement between AAI & AIAL, 399.48 Ha (987.12 Acres) has been allotted to AIAL for development of SVPIA into state-of-art Airport serving business markets and tourism and keeping pace with the growth in Air traffic																						
9.	Breakup of the project affected population with enumeration of those losing houses/dwelling units only agricultural land only, both dwelling units & Agricultural land & landless laborers/artisans. a) SC. ST. Adivasi b) Others (please include weather these figures are based on any scientific and systematic survey carried out Give details and year of survey)	: a) NA b) NA  As a part of concession agreement between AAI & AIAL, 399.48 Ha (987.12 Acres) has been allotted to AIAL for development of SVPIA into state-of-art Airport serving business markets and tourism and keeping pace with the growth in Air traffic																						
10	Financial details: Project cost as originally planned and subsequent revised estimates and the year of price reference	: A concession Agreement for Operation, Maintenance, Management & Development of airport has been signed between Airports Authority of India (AAI) and Ahmedabad International Airport Limited (AIAL) on 14 <sup>th</sup> February 2020. As per the Concession Agreement, AIAL has commenced the operations, development and management of the Airport from 7 <sup>th</sup> November, 2020  INR 304.92 crores has been considered as a project cost for development of Terminal and associated facilities.																						
	a) Allocation made for EMP with item wise and year wise break-up	: EMP expenditure details post COD  <table border="1" data-bbox="595 1310 1497 1720"> <thead> <tr> <th rowspan="2">Sr. No.</th> <th rowspan="2">Activity</th> <th>Cost incurred (INR in Lakh)</th> <th>Cost incurred (INR in Lakh)</th> </tr> <tr> <th>Nov 2020 – Mar 2021</th> <th>April 2021 – Mar 2022</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Environmental Monitoring Services</td> <td>6</td> <td>17.3</td> </tr> <tr> <td>2</td> <td>Horticulture Expenses</td> <td>82</td> <td>281.7</td> </tr> <tr> <td>3</td> <td>O&amp;M of Sewage Treatment Plant &amp; others</td> <td>6</td> <td>25.3</td> </tr> <tr> <td colspan="2">Total</td> <td>94</td> <td>324.3</td> </tr> </tbody> </table>	Sr. No.	Activity	Cost incurred (INR in Lakh)	Cost incurred (INR in Lakh)	Nov 2020 – Mar 2021	April 2021 – Mar 2022	1	Environmental Monitoring Services	6	17.3	2	Horticulture Expenses	82	281.7	3	O&M of Sewage Treatment Plant & others	6	25.3	Total		94	324.3
Sr. No.	Activity	Cost incurred (INR in Lakh)			Cost incurred (INR in Lakh)																			
		Nov 2020 – Mar 2021	April 2021 – Mar 2022																					
1	Environmental Monitoring Services	6	17.3																					
2	Horticulture Expenses	82	281.7																					
3	O&M of Sewage Treatment Plant & others	6	25.3																					
Total		94	324.3																					
	b) Benefit Cost ratio Internal Rate of Return and the year of assessment (if applicable)	: Revenue is given below:  <table border="1" data-bbox="595 1825 1353 1977"> <thead> <tr> <th>FY</th> <th>Nov 2020 – Mar 2021</th> <th>April 2021 – Mar 2022</th> </tr> </thead> <tbody> <tr> <td>Revenue-Approx. (Rs Crores)</td> <td>66.36</td> <td>157.21</td> </tr> </tbody> </table>	FY	Nov 2020 – Mar 2021	April 2021 – Mar 2022	Revenue-Approx. (Rs Crores)	66.36	157.21																
FY	Nov 2020 – Mar 2021	April 2021 – Mar 2022																						
Revenue-Approx. (Rs Crores)	66.36	157.21																						
	c) Whether includes the cost of Environment	: Yes																						

	Management as shown in the above										
	d) Actual expenditure incurred on project so far	: A concession Agreement for Operation, Maintenance, Management & Development of airport has been signed between Airports Authority of India (AAI) and Ahmedabad International Airport Limited (AIAL) on 14 <sup>th</sup> February 2020. As per the Concession Agreement, AIAL has commenced the operations, development and management of the Airport from 7 <sup>th</sup> November, 2020  INR 304.92 crores has been considered as a project cost for development of Terminal and associated facilities.									
	e) Actual expenditure incurred on EMP so far	: <table border="1" data-bbox="595 600 1433 817"> <thead> <tr> <th>Year</th> <th>Budgeted Cost (INR in Lacs)</th> <th>Cost incurred (INR in Lacs)</th> </tr> </thead> <tbody> <tr> <td>Nov 20 – March 21</td> <td>110</td> <td>94</td> </tr> <tr> <td>April 2021- March 2022</td> <td>355.28</td> <td>324.3</td> </tr> </tbody> </table>	Year	Budgeted Cost (INR in Lacs)	Cost incurred (INR in Lacs)	Nov 20 – March 21	110	94	April 2021- March 2022	355.28	324.3
Year	Budgeted Cost (INR in Lacs)	Cost incurred (INR in Lacs)									
Nov 20 – March 21	110	94									
April 2021- March 2022	355.28	324.3									
11	Forest land requirement a. The status of approval for diversion of forest land for non-forestry use b. The status of cleaning felling c. Comments on the viability & sustainability of compensatory afforestation programmer in the light of actual field experience so far	: Not applicable									
12	The status of clear felling in non-forest areas (Such as submergence area or reservoir approach Roads). If any with quantitative information required.	: Not Applicable									
13	Status of construction (Actual & or planned) a. Date of commencement b. Date of completion	: A concession Agreement for Operation, Maintenance, Management & Development of airport has been signed between Airports Authority of India (AAI) and Ahmedabad International Airport Limited (AIAL) on 14 <sup>th</sup> February 2020.  : As per the Concession Agreement, AIAL has commenced the operations, development and management of the Airport from 7 <sup>th</sup> November, 2020									

14	Reason for delay if the project is yet to start.	:	Not Applicable
15	Date if site visit a. The dates on which the project was monitored by the MoEF&CC, RO on previous occasions, if applicable. b. Date of visits for the monitoring repots	:	On 27.05.2022 by Dr. Yogesh Kumar, Scientist 'C' IRO Gandhinagar.
16	Details of correspondence with project authorities for obtaining act on plans/ information on statue of compliance to safeguards other than the routine letters for logistic support for site visits. (The first monitoring report may contain the details of all the letters issued so far, but the later report may cover only the letter issued subsequently)		
	Date	Letter from RO	Date Letter from PA

**DESCRIPTIVE REPORT ON STATUS OF COMPLIANCE TO CONDITIONS OF ENVIRONMENT CLEARANCE AND ENVIRONMENT MANAGEMENT**

Compliance Status of Environmental Clearance issued by MoEF, New Delhi, vide letter Reference no. - 10-6/2006-IA-III, dated 31<sup>st</sup> July 2006 for “Construction of New International Terminal Building and a New Domestic Arrival Block”, Ahmedabad, Gujarat.

(Details of project: Ahmedabad International Airport Limited (AIAL) formerly known as Adani Ahmedabad International Airport Ltd, a wholly owned subsidiary of Adani Enterprises Limited, signed Concession Agreement with Airports Authority of India (AAI) on 14<sup>th</sup> February 2020, for operation, maintenance, management and development of SVPI Airport, Ahmedabad). The said EC has been transferred to Adani Ahmedabad International Airport Limited (AAIAL) vide MoEF orders dated 17<sup>th</sup> June 2021 and further amended vide order dated. 26<sup>th</sup> Nov 2021.


Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.
<b>A. Specific Conditions</b>		
i.	All conditions stipulated by the Gujarat State Pollution Control Board vide their letter No. PC/AD/NOC/AMC-637/4102, dated 10.2.2006 should be strictly implemented.	<p><b>Complied</b></p> <p>Consent to Establish was obtained by AAI for Construction of New International Terminal Building and a New Domestic Arrival vide consent order no PC/ABD/NOC/AMC-637/4102 dated 10<sup>th</sup> Feb 2006.</p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p>

**Complied**

500 KLD STP (Fluidized Media Reactor) was installed and is in operation to treat the wastewater from the entire airport operations.

The Treated waste water is used for Horticulture purpose.

FLOW CHART OF 500 KLD SEWAGE TREATMENT PLANT



Process description – STP

The STP treatment scheme consists of Physical, Biological and Tertiary treatment processes.

The domestic sewage shall enter into screen chamber and then send to equalisation tank. Then the sewage is sent to Fluidized Media Reactor (FMR) using submersible pumps.

Biological treatment is carried out in Fluidized Media Reactor (FMR). The treated water from FMR is sent for tertiary treatment. Sludge from FMR is transferred to Filter Press.

Multi grade sand filters and Activated Carbon Filters are provided in the tertiary treatment.

The Average inlet & outlet flow data & chemical consumption data of STP for the compliance period of Oct 2021 to Mar 2022 is given below:

Month	Avg. Inlet Flow (KLD)	Outlet Flow (KLD)	Chemical Consumption (Sodium hypo-chloride) (Liter per month)
Oct-21	245	232	45
Nov-21	245	220	45
Dec-21	261	244	45

ii. The project should set up a separate Sewage Treatment Plant to treat the sewage of 84.33 KLD generated from the existing and proposed airport terminal before discharge into the Municipal Sewerage. Consent from Ahmedabad Municipal Corporation should be obtained for discharging the treated effluent in the existing public sewerage system.

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.																														
		Jan-22	270	254	45																											
		Feb-22	278	257	45																											
		Mar-22	270	265	45																											
		<p><b>Note:</b> Inlet flow includes the Backwash flow data</p>																														
		<p>Environment Monitoring is carried out regularly by MoEF&amp;CC/ NABL approved laboratory. All the results are observed to be within norms. The summary of STP treated water for the period Oct 2021 to March 2022 is given below.</p>																														
		<table border="1"> <thead> <tr> <th rowspan="2">Parameter</th> <th rowspan="2">Unit</th> <th colspan="2">Results</th> <th rowspan="2">Limits as per G.S.R. 1265(E)</th> </tr> <tr> <th>Max</th> <th>Min</th> </tr> </thead> <tbody> <tr> <td>pH</td> <td>--</td> <td>7.82</td> <td>7.18</td> <td>6.5 - 9.0</td> </tr> <tr> <td>Total Suspended Solids</td> <td>mg/L</td> <td>26</td> <td>21</td> <td>&lt; 30.0</td> </tr> <tr> <td>Biological Oxygen Demand at 27°C, 3 days</td> <td>mg/L</td> <td>15</td> <td>10</td> <td>&lt; 20</td> </tr> <tr> <td>Fecal Coliform</td> <td>MPN/ 100 ml</td> <td>&lt;1.8</td> <td>&lt;1.8</td> <td>&lt;1000</td> </tr> </tbody> </table>				Parameter	Unit	Results		Limits as per G.S.R. 1265(E)	Max	Min	pH	--	7.82	7.18	6.5 - 9.0	Total Suspended Solids	mg/L	26	21	< 30.0	Biological Oxygen Demand at 27°C, 3 days	mg/L	15	10	< 20	Fecal Coliform	MPN/ 100 ml	<1.8	<1.8	<1000
Parameter	Unit	Results		Limits as per G.S.R. 1265(E)																												
		Max	Min																													
pH	--	7.82	7.18	6.5 - 9.0																												
Total Suspended Solids	mg/L	26	21	< 30.0																												
Biological Oxygen Demand at 27°C, 3 days	mg/L	15	10	< 20																												
Fecal Coliform	MPN/ 100 ml	<1.8	<1.8	<1000																												
		<p>In view of the above, the stipulated condition is considered as complied.</p>																														
iii.	<p>The project proponent should provide a copy of the approval letter from the local Municipal Authorities for supplying the drinking water. The usage water and municipal water may be furnished to this Ministry within three months from the date of receipt of this letter.</p>	<p><b>Complied</b></p> <p>SVPIA had signed an agreement with Ahmedabad Municipal Corporation for supplying of water dated 02.09.2009. AMC's letter dated 22.03.2022 has informed that an amount of Rs 32,45,619.00 is due for payment against water consumption. It is further instructed to change the flow meter. The project proponent has submitted the water bill on 20.05.2022. The unit has taken permission from CGWA for ground water extraction vide NOC No. CGWA/NOC/INF/ORIG/2021/13482 valid from 26.10.2021 to 25.10.2026.</p>																														

<b>Sr. No.</b>	<b>Conditions</b>	<b>Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.</b>
iv.	The project should ensure that all engineering design and constructions should be done keeping in view the seismic zone 4 nature of the area.	<p><b>Complied</b>  Construction activity has already been completed and presently the project is under operation Phase.</p> <p>AIAL has taken over the airport operations from AAI (Nov 2020) and carried out repair &amp; maintenance activities of the Terminal Buildings, airside infrastructure and storm water drains.</p>

**Complied**

Following Noise control and mitigation measures are adopted at the site:

- Standard instrument arrival & departure procedure is implemented to minimize the noise levels of aircrafts
- Pilots are advised to carry out Continuous Descant approach
- Control on the vehicular noise level by maintaining speed & vehicle conditions
- DG sets are provided with acoustic enclosures & muffs,



Noise control and mitigation measures must be incorporated to ensure that noise pollution is avoided in the immediate vicinity of airport. The monitoring of noise level in and around the airport must be regularly conducted and data furnished to the Authorities including State Pollution Control Board.

v.

Details of the standby DG sets with capacity area as under.

Sr. No	DG Set Capacity	Location of DG Installed
01	DG Set-1 1500 KVA	Terminal-2 Sub station
02	DG Set-2 1500 KVA	
03	DG Set-3 1500 KVA	
04	DG Set-4 1500 KVA	
05	DG Set-1 500 KVA	Terminal-1 Power House
06	DG Set-2 500 KVA	
07	DG Set-3 500 KVA	
08	DG Set-4 500 KVA	
09	DG Set-5 500 KVA	

10	DG Set-6 500 KVA	
11	DG Set-1 320 KVA	Terminal-3 Power House
12	DG Set-2 320 KVA	
13	DG Set-1 250 KVA	T-4 RADAR Apron Area
14	DG Set-2 250 KVA	
15	DG Set- 750 KVA	Airside of T2

Regular Noise Monitoring at 04 locations along with Continuous 7 days Flight Path Noise Monitoring at 03 locations is being carried out by MoEF&CC/ NABL approved laboratory.

In addition, continuous online noise monitoring station has been installed at 2 locations (both ends of the runway).




Photo of continuous noise monitoring at Runway End

The summary of ambient and flight path noise levels for the period Oct 2021 to March 2022 is given below.

Locations Name	Duration	Unit	Max	Min	Perm. Limit
<b>Ambient Noise Levels</b>					
ANQ1	Day Time	dB(A)	68.5	65.5	70
	Night Time	dB(A)	63.8	58.9	65
ANQ2	Day Time	dB(A)	54.1	52.1	55
	Night Time	dB(A)	44.1	41.7	45
ANQ3	Day Time	dB(A)	63.3	58.2	65
	Night Time	dB(A)	54.2	47.2	55
ANQ4	Day Time	dB(A)	61.6	56.9	65

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.					
			Night Time	dB(A)	53.2	45.2	55
		<b>Flight Path Noise Levels</b>					
		FPN - 1	Day Time	dB(A)	58.1	53.1	65
			Night Time	dB(A)	48.8	43.0	55
		FPN - 2	Day Time	dB(A)	58.6	52.0	65
			Night Time	dB(A)	46.7	42.1	55
		FPN - 3	Day Time	dB(A)	57.6	52.1	65
			Night Time	dB(A)	45.5	41.7	55
		Results at all locations have been observed within the prescribed norms.					
		The unit has regularly submitted the data to Gujarat Pollution Control Board, along with other regulatory authorities such as MoEFCC, as a part of Half yearly compliance reports. The same was verified during inspection.					

vi.

A detailed plan should be worked out for proper disposal of solid waste generated in the airport, in consultation with the local Municipal Authority and the State Pollution Control Board.

### Complied

As a part of AIAL operation, an effective solid waste management plan has been implemented at site.

Solid waste is collected from 4 collection points provided (2 in airside and 2 more in city side). More than 100 dustbins are provided at all of the passenger as well as staff movement areas and the collected waste is sent to centralised waste segregation shed, wherein waste is segregated into different categories such as recyclables and further handled in line to 5R principles.

As part of operations, an effective Solid Waste Management plan has been implemented at site, which includes:

- ✓ Collection & Segregation of waste from the source
- ✓ Providing separate waste bins (for dry & wet waste) at all the locations including Airside, Landside & Terminals
- ✓ Recycling of solid waste by engaging recyclers


M/s. Sharda Enterprises is implementing Solid waste management at site. Details of solid waste generated during the compliance period of Oct 2021 to Mar 2022 is given below.

Month	Recyclable Waste	Food Waste (Composter)
	(kg)	(kg)
Oct-21	5935	2200
Nov-21	6340	2314
Dec-21	6180	2180
Jan-22	4148	2586
Feb-22	4624	1823
Mar-22	5207	2059

Entire recyclable waste is segregated & recycled. Food waste is being composted in Composter machine in the premises.

Covid PPE waste (such as face masks, gloves / face shield) are stacked at centralised shed for 72 hour and disposed.




Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.
		 <p>The top photograph shows a long, single-story building with a large dark doorway, possibly a warehouse or industrial structure. The bottom photograph shows a construction site with several workers in hard hats and dark clothing working on a concrete foundation or floor slab. The site is cluttered with construction materials and equipment.</p>
<b>B. General Conditions</b>		
i.	<p>Construction of the proposed structure should be undertaken meticulously conforming to the existing Central/local rules. All the construction designs/drawings relating to the proposed construction activities must have approvals of the concerned State Government Departments/ Agencies.</p>	<p><b>Not Applicable</b></p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p> <p>All the proposed construction activities shall be undertaken conforming to the existing central as well as local rules. The details of proposed construction activities and master plan details are attached in the main report.</p>

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.
ii.	Adequate provisions for infrastructure facilities such as water supply, fuel for cooking, sanitation, must be provided for the labourers during the construction period to avoid damage to the environment. It should also be ensured that the construction workers do not cut trees for fuel wood purpose.	<p><b>Not Applicable</b></p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p>
iii.	To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided.	<p><b>Complied</b></p> <p>Refer point no. ii above</p>

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.
iv.	<p>The project authorities should take appropriate community development and welfare measures for the villagers in the vicinity of the project site, including drinking water facilities. A separate fund should be allocated for this purpose.</p>	<p><b>Complied</b></p> <p>AIAL has started the commercial operation of the airport from October 2020, the appropriate measures as part of corporate responsibility will be undertaken based on need assessment and in compliance to the applicable regulations,</p> <p>CSR activities will be carried out through Adani Foundation in the field of Education, Health, Sustainable Livelihood, Community Infrastructure. Activities carried out by AIAL are as under:</p> <p><u>Medical camps</u></p> <p>SVPI organized an eye check-up camp for Rickshaw drivers and Pre Paid taxi drivers serving passengers at the airport. As a part of community service, day long eye check-up camp was organized in month of August 2021.</p> <p>Mask and sanitizer distribution program was organized in month of July 2021 for Rickshaw and taxi drivers.</p> 

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.
v.	The quarrying material required for the construction purpose shall be obtained only from the approval quarries /borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies.	<p><b>Not Applicable</b></p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p>
vi.	For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given local people.	<p><b>Complied</b></p> <p>The airport operation require high level of expertise to ensure safe flight operations, highly skilled &amp; technical personnel are being recruited inline to the requirements.</p> <p>As part of the Concession Agreement, the existing manpower is continued for 3 years (till Nov 2024).</p> <p>However, for supportive services, like project activities, Housekeeping, Administration, STP operation, Horticulture, Utility operation etc, local people (semiskilled) are preferred.</p> <p>Currently, 905 workers out of total 1008 contract workers are locals.</p>

vii.	<p>The recommendations made in the Environment Management Plan and Disaster Management Plan as contained in the Environmental Impact Assessment and Risk Analysis Reports of the project shall be effectively implemented.</p>	<p><b>Complied</b></p> <p><u>Energy Saving Measures</u></p> <ul style="list-style-type: none"> <li>• Installed <b>1400 KW</b> capacity solar panels to utilize renewable energy and to reduce the GHG emissions.</li> <li>• 2 MW solar power plant installation in airside by year 2023.</li> <li>• The conventional lights have been replaced with LED lights in all the possible locations which has reduced the total energy consumption.</li> <li>• The temperature of the Chillers is increased from 7°C to 11-12°C as part of maintenance &amp; controlling the temperature inside the Terminal.</li> <li>• Re-Engineering: The number of chillers at airport premises are reduced by combining the chiller lines of Arrival &amp; Departure areas as part of energy conservation.</li> <li>• Temperature Controllers are installed for AHU operations.</li> <li>• Air-condition in server rooms' is localized in place of centralized system to reduce energy consumption.</li> <li>• Proactively controlled lighting systems are provided. The landside street lights are made operational on timer basis according to the daylights.</li> <li>• Sensitization of the team &amp; continuous follow up is done for further improvising the Airport environmental &amp; sustainability aspects.</li> <li>• Timely maintenance of AHU's filters &amp; coil, chillers, cooling towers is being carried out at AIAL. Regular monitoring is being carried out for the same.</li> <li>• Two Electrical vehicles (e-vehicles) and Two EV Charging Stations are introduced</li> </ul> <p><u>Solid Waste</u></p> <p>AIAL is identifying and implementing sustainable waste management techniques which focuses on 5R (Reduce, Reprocess, Reuse, Recycle and Recover) principles.</p> <p>Regular cleaning of roads by Mechanized Sweeping Machines.</p> <p><u>Wastewater Treatment and Recycling</u></p> <ul style="list-style-type: none"> <li>• Sewage Treatment Plant (STP) (Fluidized Media Reactor) is provided for treating the entire sewage generated.</li> <li>• The treated wastewater from the STP is utilized for gardening and horticulture activity within premises to conserve the fresh water consumption.</li> </ul> <p><u>Carbon Emissions Inventory &amp; Carbon Neutrality</u></p>
------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.
		<ul style="list-style-type: none"> <li>• Airport carbon emission inventory has been carried out and targets are set for achieving Carbon Neutrality of airport operations by FY2023-24.</li> <li>• We have defined systems for developing annual emission inventory (greenhouse gas emissions) in line with ISO 14064 and ACA Level 4+ requirement, which is the highest-level of accreditation.</li> <li>• Based on our baseline emissions and future projections, we have developed a detailed roadmap for achieving carbon neutrality and net zero status in accordance with ACA guidelines.</li> <li>• Replacement of R22 refrigerant based AC units with better R32 refrigerant based BEE 5 Star Rated AC's</li> </ul>
viii.	<p>A separate Environment Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will respond directly to the Chief Executive of the Company.</p>	<p><b>Complied</b></p> <p>Site is having Head Environment to take care of Environment related functions. He reports to Head Operations and further reporting to Chief Airport Officer who directly reports to the top management.</p>  <pre> graph TD     CEO[Chief Executive Officer]     CEO_Aero[Chief Executive Officer (Aero)]     CAO[Chief Airport Officer]     HO[Head Operations]     SEL[Site Environment Lead]     HES[Head Environment &amp; Sustainability]     SVPIA[SVPIA Environment Dept. Organogram]      SEL -.-&gt; HO     HO -.-&gt; CAO     CAO -.-&gt; CEO_Aero     CEO_Aero -.-&gt; CEO     SVPIA -.-&gt; CEO     HES -.-&gt; HO   </pre> <p>Corporate Head Environment &amp; Sustainability and Site Environment Head is M.Tech in Environmental Engineering and are having 25 and 22 years of experience in the field of environment respectively.</p>
ix.	The project affected people, if any should be properly compensated and rehabilitated.	<b>Not Applicable</b>

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.
x	The funds earmarked for environment protection measures should be maintained in a separate account & there should be no diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards should be reported to this Ministry.	<p><b>Complied</b></p> <p>Separate budget for the Environment protection measures is earmarked. Entire budget and all the expense details are recorded in advanced accounting system of the organization and as such separate bank account is not maintained.</p> <p>Out of the total budget for 2021-22 i.e INR 365 Lakh were allocated under Environment, out of which about INR 324 Lakh has been spent for environmental management measures (Environment Monitoring, Wastewater Treatment, Solid Waste Management, Horticulture development etc) during the compliance period.</p>
xi.	Full support should be extended to the officers of this Ministry's Regional Office at Bhopal and the officers of the Central and State Pollution Control Boards by the project proponents during their inspection of monitoring purposes, by furnishing full details and action plans including the actions, taken reports in respect of mitigative measures and other environmental protection activities.	<p><b>Complied</b></p> <p>Full support is extended to the regulatory authorities during their visit to the project site. All necessary documents are submitted as per the request of the visiting authorities.</p>
xii.	In case of deviation or alteration in the project including the implementing agency, a fresh reference should be made to this Ministry for modification on the clearance conditions or imposition of new ones, for ensuring environmental protection. The project proponents should be responsible for implementing the suggested safeguard measures.	<p><b>Complied</b></p> <p>Ahmedabad International Airport Limited (AIAL) formerly known as Adani Ahmedabad International Airport Ltd, a wholly owned subsidiary of Adani Enterprises Limited, signed Concession Agreement with Airports Authority of India (AAI) on 14<sup>th</sup> Feb 2020, for operation, maintenance, management and development of SVPI Airport, Ahmedabad.</p> <p>The MoEF-EC has been transferred to Adani Ahmedabad International Airport Limited (AAIAL) vide MoEF orders dated 17<sup>th</sup> June 2021 and further amended vide dtd. 26<sup>th</sup> November 2021.</p> <p>Later, owing to the name change of airport operator from 'Adani Ahmedabad International Airport Ltd' to 'Ahmedabad International Airport Ltd', the name change in EC approval obtained from MoEF vide order dated 16<sup>th</sup> February 2022.</p>

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.												
xiii.	The Ministry reserves the right to revoke this clearance, if any of the conditions subsequently. It deemed necessary, for environmental protection, which shall be complied with.	Agreed to comply by the project proponent.												
xiv.	The Ministry or any other competent authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.	Agreed to comply by the project proponent.												
xv.	The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned, informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Committee and may also be seen at Website of Ministry of Environment & Forests at <a href="http://www.envfornic.in">http://www.envfornic.in</a> . The advertisement should be made within the 10 days from the date of the clearance letter and a copy of the same should be forwarded to the regional office of this to the Ministry of Bhopal.	<p><b>Complied</b></p> <p>Copy of EC is available on MoEF&amp;CC website  <a href="http://environmentclearance.nic.in/writereaddata/Form-1A/EC/0_0_26_Sep_2013_15184368318-7-2006.pdf">http://environmentclearance.nic.in/writereaddata/Form-1A/EC/0_0_26_Sep_2013_15184368318-7-2006.pdf</a></p> <p>Details of previous compliance reports submitted is given below:</p> <table border="1" data-bbox="531 1384 1206 1570"> <thead> <tr> <th>Sr. No.</th> <th>Compliance period</th> <th>Date of submittal</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Oct 2021 to Mar 2022</td> <td>2<sup>nd</sup> May 2022</td> </tr> <tr> <td>2</td> <td>Apr 2021 to Sept 2021</td> <td>26<sup>th</sup> Nov 2021 &amp; 8<sup>th</sup> Dec 2021</td> </tr> <tr> <td>3</td> <td>Oct 2020 to Mar 2021</td> <td>29<sup>th</sup> May 2021</td> </tr> </tbody> </table>	Sr. No.	Compliance period	Date of submittal	1	Oct 2021 to Mar 2022	2 <sup>nd</sup> May 2022	2	Apr 2021 to Sept 2021	26 <sup>th</sup> Nov 2021 & 8 <sup>th</sup> Dec 2021	3	Oct 2020 to Mar 2021	29 <sup>th</sup> May 2021
Sr. No.	Compliance period	Date of submittal												
1	Oct 2021 to Mar 2022	2 <sup>nd</sup> May 2022												
2	Apr 2021 to Sept 2021	26 <sup>th</sup> Nov 2021 & 8 <sup>th</sup> Dec 2021												
3	Oct 2020 to Mar 2021	29 <sup>th</sup> May 2021												

Sr. No.	Conditions	Compliance status and remarks of Integrated Regional Office, MoEFCC based on the information furnished by the project proponent and on field observations during the site inspection.
xvi.	The Project proponents should inform the Regional Office at Bhopal as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of start of Land Development Work.	<p><b>Complied</b></p> <p>Construction activity has already been completed and presently the project is under operation Phase.</p> <p>Concession agreement has been signed between Airports Authority of India (AAI) and Ahmedabad International Airport Limited (AIAL) on 14<sup>th</sup> Feb 2020. As per the above said Concession Agreement, AIAL has commenced the operation with effect from the Commercial Operation Date (COD) i.e. 7<sup>th</sup> Nov 2020.</p>

### Summary Note:

The project site was visited on date 27.05.2022 for the purpose of issuing certified compliance report as the unit wants to go for expansion. Accordingly, monitoring of the conditions of environment clearance was done as narrated above and based on the overall compliance status of the unit it can be construed that out of 20 specific and general conditions given by the Ministry, it has observed during site inspection that no non-compliance was observed during the visit.

There is no court case pending against their unit. The PP further stated that no show cause/closure notice issued by CPCB/GPCB during last 3 years.



Dr. Yogesh Kumar  
Deputy Director (S)/Scientist 'C'  
MoEFCC, IRO, Gandhinagar.

डॉ. योगेश कुमार/Dr. Yogesh Kumar  
वैज्ञानिक 'सी' /Scientist 'C'  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय,  
Ministry of Environment, Forest & Climate Change,  
भारत सरकार /Govt. of India  
ए.के.का. गांधीनगर(गुजरात)/IRO,Gandhinagar(Gujarat)

Your (Half Yearly Compliance Report) has been Submitted with following details

<b>Proposal No</b>	AAI/NAD/AHM/W-26/ENGG(C)/298
<b>Compliance ID</b>	128718324
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/128718324/2025
<b>Reporting Year</b>	2025
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	31-05-2025
<b>RO/SRO Name</b>	Shrawan Kumar Verma
<b>RO/SRO Email</b>	kr099.ifs@nic.in
<b>State</b>	GUJARAT
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Gandhi Nagar

**Note:-** SMS and E-Mail has been sent to Shrawan Kumar Verma, GUJARAT with Notification to Project Proponent.